

**SUMMARY TEST DATA
ON
DRO-3-13DBM-SF-SAG**

Customer: _____
 SO No: _____
 Model No: DRO-3-13DBM-SF-SAG
 Serial No: PL55908/2542




Tested By: E. Kretz
 Temperature: +25°C
 Date: 10/17/2025
 Drawing No: 27651820 REV: A1

TEST ITEM	PARAMETERS	SPECIFIED VALUE	TEST RESULTS
1	Center Frequency:	3 GHz NOM.	2.999997 GHz
2	Power Output:	+9 dBm MIN.	13.67 dBm
3	Mechanical Tuning Range:	±10 MHz TYP.	±10 MHz
4	Frequency Stability:	±5 ppm/°C MAX.	See Typical Characteristics
5	Phase Noise @ 100kHz Offset:	-95 dBc/Hz TYP.	-123 dBc/Hz
6	Spurious:	-75 dBc MAX.	-79.4 dBc (See Graph)
7	Harmonics:	-20 dBc MAX.	-57.6 dBc (See Graph)
8	DC Supply Voltage:	+10 to 15 V @ 200 mA TYP.	+10 to 15 V @ 140 mA

QA/QC Approval: _____

Date: _____

SUMMARY TEST DATA ON DRO-3-13DBM-SF-SAG



Phase Noise Curve

