

**SUMMARY TEST DATA
ON
P1T-1840-30-R-1W-292FF**

Customer: _____
 SO No: _____
 Model No: **P1T-1840-30-R-1W-292FF**
 Serial No: **PL56009/2543**




Tested By: **K. Wagaman**
 Temperature: **25°C**
 Date: **10/23/2025**
 Drawing No: **27650920** Rev: **A1**

TEST ITEM NO.	PARAMETERS	SPECIFIED VALUE	TEST RESULTS	QA QC
1	Frequency Range	18 to 40 GHz	18 to 40 GHz	
2	Isolation	25 dB Min	46.4 dB	
3	Insertion Loss	3.0 dB Max @ +25°C	2.3 dB	
4	VSWR	2.5:1 Max	1.7:1	
5	DC Voltage	+12 V @ 50 mA Max -15 V @ 50 mA Max	+12 V @ 34 mA -15 V @ 20 mA	

QA/QC Approval: _____

Date: _____

7309-A Grove Road Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
 Email: sales@quanticpmi.com



7309-A Grove Road Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
 Email: sales@quanticpmi.com

