

**SUMMARY TEST DATA
ON
PLNA-35-100M18G-P1dB24-120VAC**

Customer: _____
 SOno: _____
 Model No: PLNA-35-100M18G-P1dB24-120VAC
 Serial No: PL46220/2421

Tested By: A. Mousavi
 Temperature: +25°C
 Date: 7/2/2024
 Drawing No: 27630090 Rev: B1

TEST. ITEM NO	PARAMETERS	SPECIFIED VALUE	Test Results	QA QC
1	Frequency Range:	100 MHz To 18.0 GHz	100 MHz To 18.0 GHz	QA QC PMI
2	Gain:	35 dB Min.	+37.18 dB Min.	QA2
			+42.08 dB Max.	
			See Graph	
3	*Gain Flatness:	±2.5 dB Typ.	±2.45 dB See Graph	
4	*Noise Figure:	4.5 dB Typ.	5.34 dB See Graph	
5	*OP1dB:	+25 dBm Typ. +22 dB Min.	29.22 dBm Max.	
			26.28 dBm Min.	
			See Plot	
6	VSWR: (Input/Output)	2.0:1 Max.	1.4:1 In	
			1.5:1 Out See Plot	
7	Maximun RF Input:	10 dB Max.	Pass	
8	AC Voltage Supply:	120 VAC	120 VAC	PMI QA2




QA/QC Approval: 

PMI
QA2

Date: 7/3/2024

SUMMARY TEST DATA ON PLNA-35-100M18G-P1dB24-120VAC

PLA6220/2421



SUMMARY TEST DATA ON PLNA-35-100M18G-P1dB24-120VAC

PL46220/2421

