



**SUMMARY TEST DATA  
ON  
7CL6D9G-960-CD-SFF**

PL23972/1848

Customer:	_____	Tested By:	<u>H. Gonzales</u>
SO No:	_____	Temperature:	<u>+25°C</u>
Model No:	<u>7CL6D9G-960-CD-SFF</u>	Date:	<u>12/04/18</u>
Serial No:	<u>PL23972/1848</u>	Drawing No:	<u>27609887</u> Rev: <u>A1</u>
Part No:	_____		

TEST ITEM NO.	PARAMETERS	SPECIFIED VALUE	MEASURED VALUE	QA/QC	
1	Center Frequency	6900 MHz Nom.	6900 MHz Nom. See Plot	PMI QA1	
2	3 dB Pass band Bandwidth:	960 MHz Min.	960 MHz See Plot		
3	Pass band VSWR	1.5:1 Max	1.44:1 See Plot		
4	Passband Insertion Loss:	5 dB Max	1.03dB See Plot		
5	Loss Ripple (peak-to-peak):	0.5 dB Max	0.5 dB See Typical Characteristics		
6	Rejection 70 dB:	DC – 5000MHz 9180 MHz 10980 MHz	90.43dB 90.85dB 84.74dB See Plot		
7	Rejection 50 dB:	12800 – 15000 MHz 5580 MHz	85.49dB 72.28dB See Plot		
8	Input Power:	+30 dBm Max	+30 dBm See Typical Characteristics		
9	Impedance (Source Load)	50 ohms Nom.	Pass		PMI QA1

QA/QC Approval:  PMI QA1 Date: 12/5/18



**SUMMARY TEST DATA  
ON  
7CL6D9G-960-CD-SFF**

PL23972/1848

