

DESCRIPTION:

PMI MODEL NUMBER DTA-1G18G-60-CD-5V IS A NON-REFLECTIVE 10 BIT PROGRAMMABLE 60 dB PIN DIODE ATTENUATOR WITH STEP RESOLUTION AS LOW AS 0.06 dB OVER THE FREQUENCY RANGE OF 1.0 TO 18.0 GHz.


SPECIFICATIONS:

- FREQUENCY: _____ 1 GHz TO 18.0 GHz
- MEAN ATTENUATION RANGE _____ 60dB
- INSERTION LOSS _____ 4.8 dB MAX
- VSWR: _____ 2.0 :1 MAX
- FLATNESS UP TO
 - 20 dB _____ ±1.0 dB TYP
 - 40 dB _____ ±1.25 dB TYP
 - 60 dB _____ ±3.0 dB TYP
- ACCURACY OF ATTENUATION
 - 0 dB TO 20 dB _____ ±1.0 dB TYP
 - 20 dB TO 40 dB _____ ±1.5 dB TYP
 - 40 dB TO 60 dB _____ ±2.0 dB TYP
- MINIMUM ATTENUATION STEP _____ 0.06 dB
- SURVIVAL POWER: _____ 1W Average from -65C to +25C
- SWITCHING TIME
 - ON TIME _____ 1.0 uSEC MAX
 - OFF TIME _____ 0.5 uSEC MAX
- DC POWER SUPPLY _____ +5V @ 350mA MAX


- CONNECTORS _____ 2 SMA & 15 PIN D-SUB
Shipped with Mating D-SUB

- WEIGHT _____ 3.0 oz (85 gm) Approximate
- FINISH _____ PAINTED BLUE
- LOGIC INPUT
 - LOGIC "0" (BIT OFF) _____ -0.3 to +0.8V
 - LOGIC "1" (BIT ON) _____ +2.0 to +5.0V

PIN NO:	J3 PIN FUNCTIONS
1	GND
2	Not Connected
3	0.13 dB
4	GND
5	0.25 dB
6	0.5 dB
7	1.0 dB
8	2.0 dB
9	4.0 dB
10	8.0 dB
11	16.0 dB
12	32.0 dB (MSB)
13	+V
14	Not Connected
15	0.06 dB (LSB)



REVISIONS				
ZONE	REV.	DESCRIPTION	DATE	APPROVED
	A1	ORIGINAL RELEASE	3/27/24	



PMI CONFIDENTIAL AND PROPRIETARY

ENVIRONMENTAL RATINGS:

- TEMPERATURE: _____ -50°C TO +100°C (OPERATING)
-65°C TO +125°C (STORAGE)
- HUMIDITY: _____ MIL-STD-202F, METHOD 103B COND. B
- SHOCK: _____ MIL-STD-202F, METHOD 213B COND. B
- VIBRATION: _____ MIL-STD-202F, METHOD 204D COND. B
- ALTITUDE: _____ MIL-STD-202F, METHOD 105C COND. B
- TEMPERATURE CYCLE: _____ MIL-STD-202F, METHOD 107

NOTE: THE ABOVE SPECIFICATIONS ARE SUBJECT TO CHANGE OR REVISION

7309-A GROVE ROAD
 FREDERICK, MARYLAND 21704 USA
 TEL: (301)-662-5019, FAX: (301)-662-1731
 WEB: www.quanticmpi.com
 EMAIL: sales@quanticmpi.com
 ISO 9001 CERTIFIED



APPROVALS		DATE	TITLE			
DRAWN <i>DPD</i>		3/27/24	PRODUCT FEATURE DTA-1G18G-60-CD-5V			
REDRAWN			SIZE A	FSCM NO. 05XQ0	DWG NO. 27048580	REV. A1
ISSUED			SCALE N:S		SHEET 1 OF 1	