

**SUMMARY TEST DATA
ON
APD-2-800M2D5G-NFF-50W**

Customer: _____
 SO No: _____
 Model No: _____
 Serial No: 44341

Tested By: K. Mansfield
 Temperature: +25°C
 Date: 2/14/2024
 Drawing No: 27627902 Rev: A1

TEST ITEM NO.	PARAMETERS	SPECIFIED VALUE	TEST RESULTS	QA QC	
1	Frequency Range:	0.8 to 2.5 GHz	0.8 to 2.5 GHz	P:11 QA2	
2	Insertion Loss:	≤0.4 dB	0.34 dB See Plot		
3	VSWR:	≤1.25:1	1.15:1 1.08:1 See Plot		
4	Isolation:	22 dB Min.	27.05 dB See Plot		
5	Amplitude Balance:	≤±0.2 dB	0.03 dB See Plot		
6	Phase Balance:	≤±2°	0.2° See Plot		
7	Power Handling:	Forward ≤50 W Reversed ≤1 W	See Typical Characteristics		
8	Impedance:	50 Ω	See Typical Characteristics		P:11 QA2

QA/QC Approval: _____






P:11
QA2

Date: 2/16/2024

2/16/2024

**SUMMARY TEST DATA
ON
APD-2-800M2D5G-NFF-50W**



SUMMARY TEST DATA
ON
APD-2-800M2D5G-NFF-50W

4341

