

REVISIONS				
ZONE	REV.	DESCRIPTION	DATE	APPROVED
	1	ORIGINAL RELEASE	12/03/14	
	A1	ECN # 15-0037	03/26/15	

Description:


PMI Model No. PEC2-2G18G-80DB-21DBM-LM-SFF is a 2.0 to 18.0 GHz limiting amplifier that provides a limited output power level of +21dBm to +25dBm for an input power range of -55 to +10dBm CW. This model has output power level versus frequency compensation such that the limited output power has a flat frequency response. Supplied in a small housing measuring only 2.98" X 0.78" X 0.26"

This model provides the following performance.

Specifications:

- Frequency Range: 2.0 to 18.0 GHz
- Input Power: -55 to +10dBm CW Typical
- Saturated Output Power: +21dBm to 25dBm Nominal
- Output Power Variation: +/-2.0dBm Max, over operating temperature range
- OP1dB: 4dBm below Psat typical
- 2nd Harmonic Rejection: -8dBc @ Psat
- 3rd Harmonic Rejection: -9dBc @ Psat
- 3rd Order Intercept Point: 35dBm - Design Goal
- VSWR Input/Output: 2.0:1 Max.
- Maximum RF Input Power: +17dBm CW
- DC Voltage Supply: +15VDC *
- DC Current Draw: 700mA Max.
- Connectors: SMA(F)
- Operating Temperature: -20 to +70 Deg. C
- Finish: Gold Plated

* (Including Reverse Polarity Protection and over voltage protection up to +/-25VDC)



Environmental Ratings:

- Temperature: -20 to +70 Deg. C (Operating)
-55 to +100 Deg. C (Storage)
- Humidity: MIL-STD-202F, METHOD 103B COND B.
- Shock: MIL-STD-202F, METHOD 213B COND B.
- Altitude: MIL-STD-202F, METHOD 105C COND B.
- Temperature Cycle: MIL-STD-202F, METHOD 107D COND A
- EMI/EMC: Designed to meet MIL-STD-461E

Note: The above specifications are subject to change or revision.

ALL DIMENSIONS ARE IN INCHES
TOLERANCES:
X.XX ±0.020
X.XXX ±0.010

PMI CONFIDENTIAL AND PROPRIETARY

PART NO.		PLANAR MONOLITHICS INDUSTRIES, INC.  1311-F GROVE ROAD FREDERICK, MARYLAND 21704 USA TEL: 301-455-0019 FAX: 301-462-1731 WEBSITE: www.pmi-ti.com EMAIL: info@pmi-ti.com ISO 9001 CERTIFIED		
APPROVALS	DATE	TITLE		
DRAWN	12/03/14	PRODUCT FEATURE		
CHECKED		PEC2-2G18G-80DB-21DBM-LM-SFF		
REVISED		REV. FROM NO.	REV. NO.	REV.
		B 05XQ0	27024444	A1
		SCALE N/S	SHEET 1 OF 1	