

DESCRIPTION:

PLANAR MONOLITHICS INDUSTRIES MODEL NUMBER: PFS-618-XREF-CD-1 IS A FREQUENCY SYNTHESIZER THAT OPERATES OVER THE 6.0 TO 18.0 GHz FREQUENCY RANGE. A 10 MHz EXTERNAL REFERENCE IS USED TO LOCK THE UNIT. THIS UNIT FEATURES HIGH SPEED, HIGH ACCURACY AND LOW PHASE NOISE.

SPECIFICATIONS:

- FREQUENCY RANGE: 6.0 TO 18.0GHz
- FREQUENCY STEP SIZE, NOMINAL (LSB): 100kHz
- POWER OUTPUT LEVEL: 10dBm MIN
- POWER VARIATION OVER TEMPERATURE: 5dB P-P(±2.5dB) MAX
- FREQUENCY ACCURACY: ±1MHz MAX
- FREQUENCY AGING: ±2 PPM/YEAR
- TUNING SPEED ≤3us (2us TYPICAL)
- TUNING CONTROL: BINARY, TTL 16 BITS MIN (PLANNED 17 BITS PARALLEL)
- SSB NOISE*: 6-18 GHz MAX
 *EXTERNAL REFERENCE TO HAVE
 -130 dBc/Hz @ 1 kHz OFFSET
 OR BETTER
 -78 dBc/Hz @ 1 kHz OFFSET
 -96 dBc/Hz @ 100 kHz OFFSET
 -100 dBc/Hz @ 10 MHz OFFSET

- SPURIOUS OUTPUT: -50dBc TYP
- HARMONICS: -30dBc MAX
- SUB HARMONICS: -55dBc MAX
- REFERENCE: 10 MHz EXTERNAL REFERENCE

- POWER SUPPLY: +12V @ 2.5A MAX
 -12V @ 0.6A MAX
 +5V @ 4A MAX
 -5V @ 2A MAX
- CONNECTORS:

CONTROL: 37 PIN Sub-D MALE
 POWER: 9 PIN Sub-D MALE
 RF OUTPUT: SMA FEMALE
 REFERENCE INPUT: SMA FEMALE

- OUTLINE: 6.23" (L) x 6.48" (W) x 1.6" (H)



ENVIRONMENTAL RATINGS

- TEMPERATURE: -40°C TO +70°C (OPERATING)

NOTE: THE ABOVE SPECIFICATIONS ARE SUBJECT TO CHANGE OR REVISION

ALL DIMENSIONS ARE IN INCHES
 TOLERANCES:
 X.XX ±0.020
 X.XXX ±0.005

REVISIONS				
ZONE	REV.	DESCRIPTION	DATE	APPROVED
	1	PRELIMINARY	1/29/15	



PMI CONFIDENTIAL AND PROPRIETARY

PLANAR MONOLITHICS INDUSTRIES, INC.

7311-F GROVE ROAD
 FREDERICK, MARYLAND 21704 USA
 TEL: 301-662-5019 FAX: 301-662-1731
 WEBSITE: www.pmi-rf.com
 E-MAIL: sales@pmi-rf.com
 ISO 9001 CERTIFIED





APPROVALS		DATE	TITLE			
DRAWN <i>DPD</i>		1/29/15	PRODUCT FEATURE PFS-618-XREF-CD-1 6.0 TO 18.0GHz SYNTHESIZER			
CHECKED			SIZE	FSCM NO.	DWG NO.	REV.
ISSUED			A	05XQ0	PRELIMINARY	1
			SCALE	N:S	SHEET	1 OF 3

CONTROL CONNECTOR J2	
1	A16 TUNING WORD (MSB)
2	A14 TUNING WORD
3	A12 TUNING WORD
4	A10 TUNING WORD
5	A8 TUNING WORD
6	A6 TUNING WORD
7	A4 TUNING WORD
8	NC
9	LATCH
10	NC
11	GND
12	NC
13	NC
14	NC
15	NC
16	NC
17	A1 TUNING WORD
18	NC
19	A0 TUNING WORD (LSB)
20	A15 TUNING WORD
21	A13 TUNING WORD
22	A11 TUNING WORD
23	A9 TUNING WORD
24	A7 TUNING WORD
25	A5 TUNING WORD
26	A3 TUNING WORD
27	A2 TUNING WORD
28	NC
29	GND
30	NC
31	NC
32	NC
33	NC
34	NC
35	NC
36	NC
37	GND

POWER CONNECTOR J3	
PIN NO	FUNCTION
1	+5V
2	-12V
3	+12V
4	GND
5	-5V
6	GND
7	GND
8	GND
9	+12V

CONNECTORS FUNCTIONS	
J1	RF OUTPUT
J2	CONTROL CONNECTOR
J3	POWER CONNECTOR
J4	NC
J5	10MHz REFERENCE INPUT

REVISIONS				
ZONE	REV.	DESCRIPTION	DATE	APPROVED
	1	PRELIMINARY	1/29/15	



PMI CONFIDENTIAL AND PROPRIETARY

DESCRIPTION:

PLANAR MONOLITHICS INDUSTRIES MODEL NUMBER: PFS-618-XREF-CD-1 IS A FREQUENCY SYNTHESIZER THAT OPERATES OVER THE 6.0 TO 18.0 GHz FREQUENCY RANGE. A 10 MHz EXTERNAL REFERENCE IS USED TO LOCK THE UNIT. THIS UNIT FEATURES HIGH SPEED, HIGH ACCURACY AND LOW PHASE NOISE.

NOTE: THE ABOVE SPECIFICATIONS ARE SUBJECT TO CHANGE OR REVISION

ALL DIMENSIONS ARE IN INCHES
TOLERANCES:
X.XX ±0.020
X.XXX ±0.005

PLANAR MONOLITHICS INDUSTRIES, INC.

7311-F GROVE ROAD
FREDERICK, MARYLAND 21704 USA
TEL: 301-662-5019 FAX: 301-662-1731
WEBSITE: www.pmi-rf.com
E-MAIL: sales@pmi-rf.com
ISO 9001 CERTIFIED







APPROVALS		DATE	TITLE		
DRAWN <i>DPD</i>		1/29/15	PRODUCT FEATURE PFS-618-XREF-CD-1 6.0 TO 18.0GHz SYNTHESIZER		
CHECKED			SIZE A	FSCM NO. 05XQ0	DWG NO. PRELIMINARY
ISSUED			SCALE N:S		REV. 1
				SHEET	2 OF 3

DESCRIPTION:

PLANAR MONOLITHICS INDUSTRIES MODEL NUMBER: PFS-618-XREF-CD-1 IS A FREQUENCY SYNTHESIZER THAT OPERATES OVER THE 6.0 TO 18.0 GHz FREQUENCY RANGE. A 10 MHz EXTERNAL REFERENCE IS USED TO LOCK THE UNIT. THIS UNIT FEATURES HIGH SPEED, HIGH ACCURACY AND LOW PHASE NOISE.

REVISIONS				
ZONE	REV.	DESCRIPTION	DATE	APPROVED
	1	PRELIMINARY	1/29/15	



ALL DIMENSIONS ARE IN INCHES
TOLERANCES:
X.XX ±0.020
X.XXX ±0.005

NOTE: THE ABOVE SPECIFICATIONS ARE SUBJECT TO CHANGE OR REVISION

PMI CONFIDENTIAL AND PROPRIETARY

PLANAR MONOLITHICS INDUSTRIES, INC.

7311-F GROVE ROAD
FREDERICK, MARYLAND 21704 USA
TEL: 301-662-5019 FAX: 301-662-1731
WEBSITE: www.pmi-rf.com
E-MAIL: sales@pmi-rf.com
ISO 9001 CERTIFIED



APPROVALS		DATE	TITLE		
DRAWN <i>DPD</i>		1/29/15	PRODUCT FEATURE PFS-618-XREF-CD-1 6.0 TO 18.0GHz SYNTHESIZER		
CHECKED			SIZE A	FSCM NO. 05XQ0	DWG NO. PRELIMINARY
ISSUED			SCALE N:S	SHEET	3 OF 3