



**SUMMARY TEST DATA
ON AMPLIFIER**

Customer :
 Job No :
 Model No : PEC-38-818-10-15-SFF
 Serial No : PL1159

Tested By : Kevin Mason
 Temperature : +25°C
 Date : 11/12/03

TEST ITEM NO.	PARAMETERS	SPECIFIED VALUE	MEASURED VALUE	REMARKS QA/QC
1	Frequency Range:	8 – 18 GHz	Pass	
2	Gain:	38dB +/- 2.5dB	Pass (See Plot)	
3	Gain Flatness:	± 1.5 dB Max.	± 0.72dB	
4	Noise Figure:	8.0 dB Max.	Pass (See Plot)	
5	Output Power @ 1dB Gain Compression	+10dBm Min.	≥ +10dBm	
6	Power Output Saturated	+19dBm Max.	Pass	
7	VSWR In/Out:	1.8:1 Max.	Pass (See Plot)	
8	DC Power	500mA@+15 VDC	123mA	
9	Operating Temp. Range	-15 to +85 Deg. C	Pass	


Production Manager Approval:  Date: 11/12/03

QA/QC Approval:  Date: 11/12/03

7311-G Grove Road Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
 email: sales@planarelec.com



VNA Plot – J1 to J2



7311-G Grove Road Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
email: sales@planarelec.com

Noise Figure Plot - J1 to J2

