



**SUMMARY TEST DATA  
ON AMPLIFIER**

Customer :  
 Job No :  
 Model No : PEC-38-818-10-15-SFF  
 Serial No : PL1160

Tested By : Kevin Mason  
 Temperature : +25°C  
 Date : 11/12/03


TEST ITEM NO.	PARAMETERS	SPECIFIED VALUE	MEASURED VALUE	REMARKS QA/QC
1	Frequency Range:	8 – 18 GHz	Pass	
2	Gain:	38dB +/- 2.5dB	Pass (See Plot)	
3	Gain Flatness:	± 1.5 dB Max.	± 0.99dB	
4	Noise Figure:	8.0 dB Max.	Pass (See Plot)	
5	Output Power @ 1dB Gain Compression	+10dBm Min.	≥ +10dBm	
6	Power Output Saturated	+19dBm Max.	Pass	
7	VSWR In/Out:	1.8:1 Max.	Pass (See Plot)	
8	DC Power	500mA@+15 VDC	114mA	
9	Operating Temp. Range	-15 to +85 Deg. C	Pass	

Production Manager Approval:  Date: 11/12/03

QA/QC Approval:  Date: 11/12/03

7311-G Grove Road Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731  
 email: [sales@planarelec.com](mailto:sales@planarelec.com)

### VNA Plot – J1 to J2



### Noise Figure Plot - J1 to J2

