

# SUMMARY TEST DATA ON DTA-0R5G18G-60-CD-1

Customer: \_\_\_\_\_  
 SO No: \_\_\_\_\_  
 Model No: DTA-0R5G18G-60-CD-1  
 Serial No: 13382  
 Part No: \_\_\_\_\_

Tested By: K. Mansfield  
 Date: 11/23/2021  
 Drawing No: 27617783 Rev: A1

TEST. ITEM NO	PARAMETERS	SPECIFIED VALUE	TEST RESULTS	QA QC	
1	Frequency Range:	0.5 GHz – 18 GHz	0.5 GHz – 18 GHz	PMI QA 2	
2	Insertion Loss:	4.8 dB Max.	3.8 dB See Plot		
3	VSWR:	2.0:1 Max.	1.9:1 See Plot		
4	Flatness to 20 dB:	± 1.0 dB Typ.	0.55 dB See Plot		
6	Flatness to 40 dB:	± 1.25 dB Typ.	0.6 dB See Plot		
7	Flatness to 60 dB:	± 3.0 dB Typ.	1.26 dB See Plot		
8	Accuracy of Attenuation 0 to 20 dB:	± 1.0 dB Typ.	0.07 dB See Plot		
9	Accuracy of Attenuation 20 to 40 dB:	± 1.5 dB Typ.	0.14 dB See Plot		
10	Accuracy of Attenuation 40 to 60 dB:	± 2.0 dB Typ.	0.31 dB See Plot		
11	Switching Speed:	1.0 us Max.	< 1.0 us See Typical Characteristics		
12	DC Supply:	+15VDC @ 155 mA	110 mA		PMI QA 2

Programed Attenuation	Attenuation	Accuracy of Attenuation	Flatness
dB	dB	dB	dB
0.0625	0.06	0.00	0.00
0.125	0.12	0.01	0.01
0.25	0.25	0.00	0.02
0.50	0.50	0.00	0.03
1.00	1.00	0.00	0.07
2.00	2.00	0.00	0.12
4.00	4.01	-0.01	0.21
8.00	8.02	-0.02	0.29
16.00	15.97	0.14	0.44
32.00	31.86	0.14	0.58
62.00	61.68	0.32	1.52
63.94	63.28	0.66	1.67

Programed Attenuation	Attenuation	Accuracy of Attenuation	Flatness
dB	dB	dB	dB
5.00	5.01	-0.01	0.24
10.00	10.04	-0.04	0.31
15.00	14.93	0.07	0.41
20.00	19.96	0.04	0.55
25.00	24.90	0.10	0.60
30.00	29.90	0.10	0.58
35.00	34.89	0.11	0.56
40.00	39.92	0.08	0.55
45.00	44.95	0.05	0.52
50.00	49.89	0.11	0.57
55.00	54.69	0.31	0.66
60.00	59.74	0.26	1.26



QA/QC Approval: 

PMI  
QA 2

Date: 11/24/2021


# SUMMARY TEST DATA ON DTA-0R5G18G-60-CD-1

13382



7311-F Grove Road Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731  
Email: sales@pmi-rf.com

**SUMMARY TEST DATA  
ON  
DTA-0R5G18G-60-CD-1**



7311-F Grove Road Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731  
Email: sales@pmi-rf.com