



**SUMMARY TEST DATA
ON
7CL10D62G-960-CD-SFF**

Customer: _____	Tested By: <u>S. PALACIO</u>
SO No: _____	Temperature: <u>+25°C</u>
Model No: <u>7CL10D62G-960-CD-SFF</u>	Date: <u>8/26/2014</u>
Serial No: <u>PL15707/1433</u>	Drawing No: <u>27609611</u> Rev: <u>A1</u>
Part No: _____	

TEST ITEM NO.	PARAMETERS	SPECIFIED VALUE	MEASURED VALUE	QA/QC
1	Center Frequency:	10620 MHz Nom.	10620 MHz Nom. See Plot	
2	3 dB Pass band Bandwidth:	960 MHz Min.	960MHz See Plot	
3	Pass band VSWR	1.5:1 Max	1.30:1 See Plot	
4	Passband Insertion Loss:	5 dB Max	1.31dB See Plot	
5	Loss Ripple (peak-to-peak):	0.5 dB Max	0.15dB See Plot	
6	Rejection 70 dB:	DC – 8500MHz 12900 MHz	102.59dB 77.32dB 95.32dB See Plot	
7	Rejection 50 dB:	15500 - 17000 MHz 9200 MHz	82.5dB 79.6dB See Plot	
8	Rejection 78 dB:	14800 MHz	95.32dB See Plot	
9	Input Power:	+30dBm Max	+30dBm See Plot	
10	Impedance (Source Load)	50 ohms Nom.	Pass	

QA/QC Approval: _____ Date: _____



**SUMMARY TEST DATA
ON
7CL10D62G-960-CD-SFF**

