



**SUMMARY TEST DATA
ON
PEC-42-500M40G-20-12-292MM**

Customer: _____ Tested By: E Benson
SO No: _____ Temperature: +25°C
Model No: PEC-42-500M40G-20-12-292MM Date: 11/20/14
Serial No: PL16158/1445 Drawing No: 27619464 Rev: A1

TEST. ITEM NO	PARAMETERS	SPECIFIED VALUE	TEST RESULTS	QA QC
1	Frequency Range:	500MHz - 40GHz	500MHz - 40GHz See Plot	
2	Gain:	42 dB Typ.	39.98 dB See Plot	
3	Gain Flatness:	±2.5 dB Typ.	± 2.137 dB See Plot	
4	*Noise Figure:	5.5 dB Typ.	Pass	
5	Pout @ 1dB Compression:	+22 dBm Typ. 1-18 GHz +19 dBm Typ. 18-40 GHz	Pass	
6	VSWR In:	2.0:1 Max.	Pass See Plot	
7	VSWR Out:	2.5:1 Max.	Pass See Plot	
8	Input Power handling:	+17dBm CW Max	Pass	
9	DC Supply:	+12 to +15 VDC @ 450mA Typ.	+12 to +15 VDC @ 459 mA	

*Up To 20 GHZ

QA/QC Approval: _____ Date: _____



**SUMMARY TEST DATA
ON
PEC-42-500M40G-20-12-292MM**



**SUMMARY TEST DATA
ON
PEC-42-500M40G-20-12-292MM**