



**SUMMARY TEST DATA
ON
PUB-15-500M20G-20-LCA**

PL17895/1539

Customer: _____ Tested By: H. HOLVICK
SO No: _____ Temperature: +25°C
Model No: PUB-15-500M20G-20-LCA Date: 09/25/15
Serial No: PL17895/1539 Drawing No: PUB-15-500M20G-20-LCA Rev: A2


TEST. ITEM NO	PARAMETERS	SPECIFIED VALUE	TEST RESULTS	QA QC
1	Frequency Range:	500MHz to 20.0GHz	500MHz to 20.0GHz	
2	Gain:	+15dB Typ.	17.3 dB (See Plot)	
3	Gain Flatness:	±1.75dB Typ.	±0.86 dB	
4	VSWR: (In/Out)	2.0:1 Typ.	1.33:1/1.59:1 (See Plot)	
5	Noise Figure:	3.0dB Typ.	3.5 Db Typ. (See Plot)	
6	OP1dB:	+20dBm Typ.	+21.5 dBm Typ.	
7	DC Supply:	+12 to +15 VDC @180mA Typ.	197 mA @ +12 to +15 VDC	

QA/QC Approval: _____ Date: _____



**SUMMARY TEST DATA
ON
PUB-15-500M20G-20-LCA**


PL17895/1539





**SUMMARY TEST DATA
ON
PUB-15-500M20G-20-LCA**

PL17895/1539





**SUMMARY TEST DATA
ON
PUB-15-500M20G-20-LCA**

PL17895/1539

Noise Figure Plot (500MHz to 20GHz)

