

DASH NO.	APPLICATION		REVISIONS			
	NEXT ASSY	USED ON	REV	DESCRIPTION	DATE	APPROVED
			1	RELEASE PER ECO 100757	1-2-07	JM
			2	REVISE PER ECO 100964	10-23-07	JM
			3	REVISE PER ECO 101093	7-29-13	JM

REVISION	SHT NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20			
STATUS	LETTER	3	3																					
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70

<b>PMI CONFIDENTIAL &amp; PROPRIETARY:</b> The information contained herein is the property of PMI. Its use or reproductions is prohibited except as provided for by prior written authorization from PMI	<b>PLANAR MONOLITHICS INDUSTRIES, INC.</b>  4921 ROBERT J. MATHEWS PKWY, EL DORADO HILLS CA 95762 916-542-1401
	<b>TEST DATA SHEET</b> <b>THRESHOLD DETECTOR</b> <b>GMTA-1002</b>  <b>SN: PL21102</b>
CONTRACT NO.	
DRAWN: CAMERON N 1-2-07	
CHECKED	
PROJ ENGR JOHN M 1-2-07	
PROG MGR	
MFG ENGR	
QA ENGR	
RELIABILITY:	
CUSTOMER	

	SIZE <b>A</b>	CAGE CODE <b>71A34</b>	DWG. NO. <b>ETD000029</b>	REVISION 3
	SCALE			SHEET 1 OF 3

MODEL NO.: GMTA-1002

FREQUENCY: 2 – 18 GHz

SERIAL NO.: \_PL21102\_

PARAMETER	SPECIFICATION	MEASUREMENT
THRESHOLD LEVEL	Pin = -18 TO -23 dBm @ 25 ° C	-18 to -23 dBm
RESPONSE TIME @ TTL " I " / TTL " O "	100 μs max	11 μs
INPUT VSWR	2.5 : 1 @ Pin = -10 dBm	2.44 : 1 See Attached Plot
DC POWER SUPPLY NO RF SIGNAL	+12V @ 50 mA	42 mA

THRESHOLD SETTING STABILITY  
± 3 dB max OVER FREQUENCY @ TEMPERATURE


FREQ.	2 GHz	4 GHz	6 GHz	8 GHz	10 GHz	12 GHz	14 GHz	16 GHz	18 GHz
Pin @ 25 ° C	19.4	21.9	21.4	20.0	20.4	20.5	19.8	20.7	18.9
Pin @ 0 ° C	19.5	22.0	21.4	19.9	20.5	20.7	19.9	20.8	19.0
Pin @ 85 ° C	19.2	21.6	21.1	19.8	19.9	20.0	19.5	20.3	18.2

TESTED BY: Simon K.

DATE: 06/26/17

QA BY: [Signature]


DATE: 6-26-17

	SIZE <b>A</b>	CAGE CODE <b>71A34</b>	DWG. NO. <b>ETD000029</b>	REVISION <b>3</b>
	SCALE			SHEET 2 OF 3

# INPUT VSWR

Model Number: GMTA-1002  
Serial Number: PL21102

Temperature: +25C



SIZE  
A

SCALE

CAGE CODE  
71A34

DWG. NO.  
ETD000029

REVISION 3

SHEET 3 OF 3