



**SUMMARY TEST DATA  
ON  
P6T-2G18G-55-R-512-SFF**

PL21471/1732

Customer: _____	Tested By: <u>Jerry N</u>
SO No: _____	Temperature: <u>+25°C</u>
Model No: <u>P6T-2G18G-55-R-512-SFF</u>	Date: <u>08/18/17</u>
Serial No: <u>PL21471/1732</u>	Drawing No: <u>27613452</u> Rev: <u>A1</u>

TEST. ITEM NO	PARAMETERS	SPECIFIED VALUE	TEST RESULTS	QA QC
1	Frequency Range:	2 GHz – 18 GHz	2 GHz – 18 GHz	PMI QA 2
2	Insertion Loss:	7 dB Max.	6.68 dB (See Plot)	
3	Input Power:	10 dBm CW Max	Pass	
4	RF Power Survival:	25 dBm	25 dBm See Typical Characteristics	
5	VSWR (Input/Output):	2.0:1 Max	1.99 :1 (See Plot)	
6	Isolation:	55 dB Min.	57.30 dB (See Plot)	
7	Switching Speed:	15 ns Min.	15 ns See Typical Characteristics	
8	Video Transients:	15 mV PP	15 mV See Typical Characteristics	
9	Video Transients Spectral Content:	65 dBm	65 dBm See Typical Characteristics	
10	DC Supply:	+5VDC @ 200mA Typ -12VDC @ 60mA Typ	109 mA @ +5VDC 10 mA @ -12VDC	
11	Control Signal:	All TTL lines Pulled High "1" All TTL lines "1" = NONE TTL1 "0" → (J0-J1) TTL2 "0" → (J0-J2) TTL3 "0" → (J0-J3) TTL4 "0" → (J0-J4) TTL5 "0" → (J0-J5) TTL6 "0" → (J0-J6)	Pass	PMI QA 2


QA/QC Approval:  PMI QA 2 Date: 8/18/17



**SUMMARY TEST DATA  
ON  
P6T-2G18G-55-R-512-SFF**

PL21471/1732

**(J0-J1) Insertion Loss and Return Loss**



**(J0-J2) Insertion Loss and Return Loss**







# SUMMARY TEST DATA ON P6T-2G18G-55-R-512-SFF

PL21471/1732

## (J0-J3) Insertion Loss and Return Loss



## (J0-J4) Insertion Loss and Return Loss







**SUMMARY TEST DATA  
ON  
P6T-2G18G-55-R-512-SFF**

PL21471/1732

**(J0-J5) Insertion Loss and Return Loss**



**(J0-J6) Insertion Loss and Return Loss**






**SUMMARY TEST DATA  
ON  
P6T-2G18G-55-R-512-SFF**

PL21471/1732

**(J0 – J1) Isolation and Termination Return Loss**



**(J0 – J2) Isolation and Termination Return Loss**







**SUMMARY TEST DATA  
ON  
P6T-2G18G-55-R-512-SFF**

PL21471/1732

**(J0 – J3) Isolation and Termination Return Loss**



**(J0 – J4) Isolation and Termination Return Loss**






**SUMMARY TEST DATA  
ON  
P6T-2G18G-55-R-512-SFF**

PL21471/1732

**(J0 – J5) Isolation and Termination Return Loss**



**(J0 – J6) Isolation and Termination Return Loss**

