

DASH NO.	APPLICATION		REVISIONS			
	NEXT ASSY	USED ON	REV	DESCRIPTION	DATE	APPROVED
			1	RELEASE PER ECO 100757	1-2-07	JM
			2	REVISE PER ECO 100964	10-23-07	JM
			3	REVISE PER ECO 101093	7-29-13	JM

REVISION	SHT NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20			
STATUS	LETTER	3	3																					
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70

<b>PMI CONFIDENTIAL &amp; PROPRIETARY:</b> The information contained herein is the property of PMI. Its use or reproductions is prohibited except as provided for by prior written authorization from PMI	<b>PLANAR MONOLITHICS INDUSTRIES, INC.</b>  <b>4921 ROBERT J. MATHEWS PKWY, EL DORADO HILLS CA 95762</b> <b>916-542-1401</b>
	<b>TEST DATA SHEET</b> <b>THRESHOLD DETECTOR</b> <b>GMTA-1002</b>
CONTRACT NO.	
DRAWN: CAMERON N 1-2-07	
CHECKED	
PROJ ENGR JOHN M 1-2-07	
PROG MGR	
MFG.ENGR	
QA ENGR	
RELIABILITY:	
CUSTOMER	

	SIZE <b>A</b>	CAGE CODE <b>71A34</b>	DWG. NO. <b>ETD000029</b>	REVISION 3
	SCALE			SHEET 1 OF 3

MODEL NO.: GMTA-1002

FREQUENCY: 2 – 18 GHz

SERIAL NO.: PL21649

PARAMETER	SPECIFICATION	MEASUREMENT
THRESHOLD LEVEL	Pin = -18 TO -23 dBm @ 25 ° C	-18 to -23 dBm
RESPONSE TIME @ TTL "I" / TTL "O"	100 μs max	11 μs
INPUT VSWR	2.5 : 1 @ Pin = -10 dBm	2.36: 1 See Attached Plot
DC POWER SUPPLY NO RF SIGNAL	+12V @ 50 mA	39 mA

**THRESHOLD SETTING STABILITY**

± 3 dB max OVER FREQUENCY @ TEMPERATURE

FREQ.	2 GHz	4 GHz	6 GHz	8 GHz	10 GHz	12 GHz	14 GHz	16 GHz	18 GHz
Pin @ 25 ° C	-21.5	-21.4	-20.6	-20.1	-19.8	-20.0	-19.7	-19.4	-21.9
Pin @ 0 ° C	-21.6	-21.5	-20.7	-20.4	-20.0	-20.2	-19.8	-19.5	-22.1
Pin @ 85 ° C	-21.2	-21.1	-20.2	-19.8	-19.4	-19.4	-19.4	-19.1	-21.3

TESTED BY: Simon K.

DATE: 09/27/17

QA BY: *[Signature]*


DATE: 9/28/17

	SIZE <b>A</b>	CAGE CODE <b>71A34</b>	DWG. NO. <b>ETD000029</b>	REVISION <b>3</b>
	SCALE			SHEET 2 OF 3

# INPUT VSWR

Model Number: GMTA-1002  
Serial Number: PL21649

Temperature: +25C



SIZE  
A

SCALE

CAGE CODE  
71A34

DWG. NO.  
ETD000029

REVISION 3

SHEET 3 OF 3