



**SUMMARY TEST DATA
ON
PE2-26-2G18G-5-21-12-SFF-DP**

Customer: _____
 SO No: _____
 Model No: PE2-26-2G18G-5-21-12-SFF-DP
 Serial No: PL22346/1812

Tested By: K. Mansfield
 Temperatures: -55°C, +25°C, +85°C
 Date: 4/9/2018
 Drawing No: 27633170 Rev: B2

Test Item	Parameters	Specified Value	Results			Pass/Fail	QA QC
			-55°C	+25°C	+85°C		
1	Frequency Range:	2.0 to 18.0 GHz	2.0 to 18.0 GHz			Pass See Plots	JRP
2	Nominal Gain:*	26 dB	25.7 dB	26.2 dB	25.3 dB	Pass See Plot	
3	Gain Window:	±4.0 dB (22 dB Min. / 30 dB Max.) (Relative to Nominal Gain)	0.2 dB -0.8 dB	0.7 dB -0.4 dB	-0.3 dB -1.1 dB	Pass See Plot	
4	Gain Flatness:*	±1.5 dB (Relative to Nominal Gain)	±0.5 dB	±0.6 dB	±0.4 dB	Pass See Plot	
5	Noise Figure: ²	5.0 dB Max.	3.8 dB	4.5 dB	5 dB	Pass See Plot	
6	OP1dB: ²	+21 dBm Min. +25 dBm Goal	24.1 dBm	24.1 dBm	23.2 dBm	Pass See Plot	
7	OIP2: ³	+37 dBm Min.	38.9 dBm	31.5 dBm	1.4:1	Pass See Table	
8	OIP3: ³	+30 dBm Min.				Pass See Table	
9	Input VSWR:*	2.0:1 Max.				Pass See Plot	
10	Output VSWR:*	2.0:1 Max. (2.0 to 15.0 GHz)				1.8:1	
		2.8:1 Max. (15.0 to 18.0 GHz)	2.3:1	Pass See Plot			
11	DC Supply:	+11 to +12.5 VDC @ 400 mA Goal, 450 mA Max.	362 mA	392 mA	411 mA	Pass	

* Gain and Gain Flatness shall be measured with 100 MHz steps (201 Points Minimum)

² Noise Figure and OP1dB shall be measured with 1 GHz steps

³ OIP2 and OIP3 shall be measured with 2 GHz steps

Capture all S-parameters (S11, S22, S12, S21) over all the specified frequencies and temperatures & round to one decimal digit on summary table above.

QA/QC Approval: *[Signature]*



Date: 4/9/18

7311-F Grove Road, Frederick, MD 21704 USA
 Phone: (301) 662-1731
 Email: sales@pmi-rf.com



SUMMARY TEST DATA
ON
PE2-26-2G18G-5-21-12-SFF-DP

PL22346/1812





7311-F Grove Road, Frederick, MD 21704 USA
Phone: (301) 662-1731
Email: sales@pmi-rf.com



SUMMARY TEST DATA
ON
PE2-26-2G18G-5-21-12-SFF-DP

PL22346/1812





7311-F Grove Road, Frederick, MD 21704 USA
Phone: (301) 662-1731
Email: sales@pmi-rf.com



**SUMMARY TEST DATA
ON
PE2-26-2G18G-5-21-12-SFF-DP**

PL22346/1812



7311-F Grove Road, Frederick, MD 21704 USA
Phone: (301) 662-1731
Email: sales@pmi-rf.com



**SUMMARY TEST DATA
ON
PE2-26-2G18G-5-21-12-SFF-DP**

PL22346/1812

<u>Freq</u> <u>(GHz)</u>	<u>IP3</u> <u>(dBm)</u>	<u>IP2</u> <u>(dBm)</u>
2	38.5	43.3
4	37	42.2
6	37.7	40.9
8	34.7	38.9
10	32.8	46.3
12	33.6	50.9
14	31.5	49.2
16	33.1	48.4
18	33	49.1

7311-F Grove Road, Frederick, MD 21704 USA
Phone: (301) 662-1731
Email: sales@pmi-rf.com