



**SUMMARY TEST DATA
ON
12CL11D8G-1400-CD-SFF**

PL24671/1905

Customer:	_____	Tested By:	<u>H. Gonzales</u>
SO No:	_____	Temperature:	<u>+25°C</u>
Model No:	<u>12CL11D8G-1400-CD-SFF</u>	Date:	<u>01/28/19</u>
Serial No:	<u>PL24671/1905</u>	Drawing No:	<u>27609820</u> Rev: <u>A1</u>
Part No:	_____		

TEST ITEM NO.	PARAMETERS	SPECIFIED VALUE	MEASURED VALUE	QA/QC	
1	Center Frequency	11800 MHz Nom.	11800 MHz Nom. See Plot	PMI QA 1	
2	3 dB Pass band Bandwidth:	1400 MHz Min.	>1400 MHz See Plot		
3	Pass band VSWR	1.5:1 Max	1.43:1 See Plot		
4	Passband Insertion Loss:	5 dB Max	1.98dB See Plot		
5	Loss Ripple (peak-to-peak):	0.5 dB Max	0.5 dB See Plot		
6	Rejection 60 dB:	DC – 10140MHz Min.	61.29dB See Plot		
7	Rejection 50 dB:	13740 – 17000 MHz	88.61dB See Plot		
8	Rejection 30 dB:	13020 MHz	50.91dB See Plot		
9	Input Power:	+30 dBm Max	+30dBm See Plot		
10	Impedance (Source Load)	50 ohms Nom.	Pass		PMI QA 1

QA/QC Approval: 


PMI
QA 1 Date: 1/30/19



**SUMMARY TEST DATA
ON
12CL11D8G-1400-CD-SFF**

PL24671/1905

Narrow-band Plot



Broad-band Plot

