



**SUMMARY TEST DATA
ON AMPLIFIER**

Customer :
 Job No :
 Model No : PE2-50-911-2R5-10-15-SFF
 Serial No : PL2483

Tested By : Kevin Mason
 Temperature : +25°C
 Date : 06/29/06

TEST ITEM NO.	PARAMETERS	SPECIFIED VALUE	MEASURED VALUE	REMARKS QA/QC
1	Frequency Range:	9.0-11.0 GHz	Pass	
2	Gain:	+50dB Typ. +40dB Min.	Pass (See Plot)	
3	Gain Flatness:	± 1.0dB Max.	± 0.66dB	
4	VSWR:	Input : 2.0:1 Output: 2.0:1 (Typ.)	Pass (See Plot)	
5	Noise Figure:	2.5dB Max.	Pass (See NF Plot)	
6	OP1dB:	10dBm Min.	≥ 10dBm	
7	DC Supply:	180mA@ +12 to +15V Max.	117mA@ +12V	

Production Manager Approval:  Date: 06/29/06

QA/QC Approval:  Date: 06/29/06

5715 Industry Lane, Unit 11, Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
 email: sales@planarelec.com



Swept S-Parameter Plot (S21 and S22)





Swept S-Parameter Plot (S11)



5715 Industry Lane, Unit 11, Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
email: sales@planarelec.com

Noise Figure Plot

