



**SUMMARY TEST DATA
ON
PEC-25-500M40G-20-12-292FF-OPT125**

Customer: _____
 SO No: _____
 Model No: PEC-25-500M40G-20-12-292FF-OPT125
 Serial No: PL25629/1921

Tested By: K. Mansfield
 Temperature: +25°C
 Date: 5/24/2019
 Drawing No: 27635780 REV: A1

TEST ITEM NO.	PARAMETERS	SPECIFIED VALUE	Test Results	QA QC	
1	Frequency Range:	1.0 GHz - 25 GHz	1.0 GHz - 25 GHz	PMI QA 1	
2	Gain:	25 dB Typ.	26.9 dB Max. 24.6 dB Typ. 22.3 dB Min. See Plot		
3	Gain Flatness:	±2.5 dB Max.	±2.27 dB See Plot		
4	Noise Figure:	5.5 dB Typ.	5.1 dB See Plot		
5	OP1dB:	+19 dBm Typ. (1.0-18 GHz) +17 dBm Typ. (18-25 GHz)	+18.4 dBm Typ. (1.0-18 GHz) +17.8 dBm Typ. (18-25 GHz) See Plot		
6	Psat:	+23 dBm Typ. (1.0-18 GHz) +20 dBm Typ. (18-25 GHz)	+21.9 dBm Typ. (1.0-18 GHz) +20.5 dBm Typ. (18-25 GHz) See Plot		
7	VSWR: (Input/Output)	2.0:1 / 2.5:1 Max.	2.1:1 In 1.6:1 Out See Plot		
8	Input Power Handling:	+17 dBm CW Max.	Pass		
9	DC Supply:	+12 to +15 VDC @ 350 mA Nominal	+12 to +15 VDC @ 239 mA		PMI QA 1

QA/QC Approval: _____

PMI
QA 1


Date: _____

5/24/19



SUMMARY TEST DATA ON PEC-25-500M40G-20-12-292FF-OPT125

PL25629/1921





SUMMARY TEST DATA ON PEC-25-500M40G-20-12-292FF-OPT125

PL25629/1921

