



**SUMMARY TEST DATA
ON
P8T-0R120G-110-T-512-SFF**

PL29690/2030

Customer: _____ Tested By: L. McGraw
Model No: P8T-0R120G-110-T-512-SFF Temperature: +25°C
Serial No: PL29690/2030 Date: 07/21/20

TEST. ITEM NO	PARAMETERS	SPECIFIED VALUE	TEST RESULTS	QA QC
1	Frequency Range:	0.1 GHz – 20.0 GHz	Pass 0.1 GHz – 20.0 GHz	PMI QA 2
2	Insertion Loss:	6.0dB Max	4.5dB See Plot	
3	Isolation:	110dB Min	Pass See Typical Plot	
4	VSWR: In/Out/On	2.0:1 Max.	1.9dB See Plot	
5	VSWR: Out/Off	2.0:1 Max.	1.9dB See Plot	
6	Switching Speed:	500 nsec Max 300 nsec Typ (10% - 90% RF)	See Typical Characteristics	
7	DC Supply:	+5VDC @ 500mA Max -12VDC @ 100mA Max	420mA 80mA	
8	RF Phase Tracking	0.2 Degrees Per Degree C All Ports With Respect To Common With Temperature	Pass	PMI QA 2

QA/QC Approval: _____

PMI
QA 2


Date: 7.21.2020



**SUMMARY TEST DATA
ON
P8T-0R120G-110-T-512-SFF**

PL29690/2030

Typical Isolation







**SUMMARY TEST DATA
ON
P8T-0R120G-110-T-512-SFF**

PL29690/2030

(J1-J2) Insertion Loss and Return Loss



(J1-J3) Insertion Loss and Return Loss







**SUMMARY TEST DATA
ON
P8T-0R120G-110-T-512-SFF**

PL29690/2030

(J1-J4) Insertion Loss and Return Loss



(J1-J5) Insertion Loss and Return Loss







SUMMARY TEST DATA ON P8T-0R120G-110-T-512-SFF

PL29690/2030

(J1-J6) Insertion Loss and Return Loss



(J1-J7) Insertion Loss and Return Loss







SUMMARY TEST DATA ON P8T-0R120G-110-T-512-SFF

PL29690/2030

(J1-J8) Insertion Loss and Return Loss



(J1-J9) Insertion Loss and Return Loss





**SUMMARY TEST DATA
ON
P8T-0R120G-110-T-512-SFF**

PL29690/2030

(J1 – J2) Termination Return Loss



(J1 – J3) Termination Return Loss







**SUMMARY TEST DATA
ON
P8T-0R120G-110-T-512-SFF**

PL29690/2030

(J1 – J4) Termination Return Loss



(J1 – J5) Termination Return Loss







**SUMMARY TEST DATA
ON
P8T-0R120G-110-T-512-SFF**

PL29690/2030

(J1 – J6) Termination Return Loss



(J1 – J7) Termination Return Loss






**SUMMARY TEST DATA
ON
P8T-0R120G-110-T-512-SFF**

PL29690/2030

(J1 – J8) Termination Return Loss



(J1 – J9) Termination Return Loss

