



**SUMMARY TEST DATA  
ON  
TCDRO-16G-CD-1**

PL29818/2031

Customer: _____	Tested By: <u>S. HERATY, G.RADTKE</u>
SO No: _____	Temperature: <u>+25°C</u>
Model No: <u>TCDRO-16G-CD-1</u>	Date: <u>07/30/20</u>
Serial No: <u>PL29818/2031</u>	Drawing No: <u>27634780</u> Rev: <u>A1</u>

TEST. ITEM NO	PARAMETERS	SPECIFIED VALUE	TEST RESULTS	QA QC
1	Center Frequency:	16 GHz	16.0 GHz See Plot	PMI QA 2
2	Mechanical Tuning Frequency:	±10 MHz	± 10 MHz	
3	Output Power:	18 dBm Min.	+21.42 dBm See Plot	
4	Spurious:	-85 dBc Min.	-88.74 dBc	
5	Harmonics:	-25 dBc Min.	-33.38 dBc See Plot	
6	*Phase Noise:	10 kHz Offset = -80 dBc/Hz 100 kHz Offset = -95 dBc/Hz	10 kHz Offset = -101 dBc/Hz 100 kHz Offset = -115 dBc/Hz	
7	Frequency Drift Temperature Coefficient :	0.8 ppm/°C	See typical characteristics	
9	DC Supply:	+15±0.5 VDC @ 200 mA Max	100 mA @ +15 VDC	PMI QA 2


QA/QC Approval:   PMI QA 2 Date: 7-31-2020




**SUMMARY TEST DATA  
ON  
TCDRO-16G-CD-1**

PL29818/2031

Carrier



Spurious






**SUMMARY TEST DATA  
ON  
TCDRO-16G-CD-1**

PL29818/2031

Harmonics



Phase Noise

