



**SUMMARY TEST DATA
ON
TCDRO-16G-CD-1**

PL29818/2031

Customer: _____ Tested By: Bryan K.
 SO No: _____ Temperature: +25°C
 Model No: TCDRO-16G-CD-1 Date: 12/19/2020
 Serial No: PL29818/2031 Drawing No: 27634780 Rev: A1

TEST. ITEM NO	PARAMETERS	SPECIFIED VALUE	TEST RESULTS	QA QC	
1	Center Frequency:	16 GHz	16.0 GHz See Plot	PMI QA 2	
2	Mechanical Tuning Frequency:	±10 MHz	± 12.5 MHz		
3	Output Power:	18 dBm Min.	+20.01 dBm See Plot		
4	Spurious:	-85 dBc Min.	-87.11 dBc		
5	Harmonics:	-25 dBc Min.	-33.92 dBc See Plot		
6	*Phase Noise:	10 kHz Offset = -80 dBc/Hz 100 kHz Offset = -95 dBc/Hz	10 kHz Offset = -95.33 dBc/Hz 100 kHz Offset = -110.67 dBc/Hz		
7	Frequency Drift Temperature Coefficient :	0.8 ppm/°C	See typical characteristics		
9	DC Supply:	+15±0.5 VDC @ 200 mA Max	101 mA @ +15 VDC		PMI QA 2


QA/QC Approval:  PMI QA 2 Date: 12/24/20



**SUMMARY TEST DATA
ON
TCDRO-16G-CD-1**

PL29818/2031

Carrier






**SUMMARY TEST DATA
ON
TCDRO-16G-CD-1**

PL29818/2031

Spurious





**SUMMARY TEST DATA
ON
TCDRO-16G-CD-1**

PL29818/2031

Phase Noise

