



**SUMMARY TEST DATA  
ON  
TCDRO-16G-CD-1**

PL29823/2031

Customer: \_\_\_\_\_ Tested By: S. HERATY, G.RADTKE  
SO No: \_\_\_\_\_ Temperature: +25°C  
Model No: TCDRO-16G-CD-1 Date: 07/30/20  
Serial No: PL29823/2031 Drawing No: 27634780 Rev: A1

TEST. ITEM NO	PARAMETERS	SPECIFIED VALUE	TEST RESULTS	QA QC
1	Center Frequency:	16 GHz	16.0 GHz See Plot	PMI QA 2
2	Mechanical Tuning Frequency:	±10 MHz	± 12.5 MHz	
3	Output Power:	18 dBm Min.	+21.59 dBm See Plot	
4	Spurious:	-85 dBc Min.	-89.31 dBc	
5	Harmonics:	-25 dBc Min.	-31.46 dBc See Plot	
6	*Phase Noise:	10 kHz Offset = -80 dBc/Hz 100 kHz Offset = -95 dBc/Hz	10 kHz Offset = -122 dBc/Hz 100 kHz Offset = -125 dBc/Hz	
7	Frequency Drift Temperature Coefficient :	0.8 ppm/°C	See typical characteristics	
9	DC Supply:	+15±0.5 VDC @ 200 mA Max	100 mA @ +15 VDC	PMI QA 2


QA/QC Approval:   PMI QA 2 Date: 7.31.2020




**SUMMARY TEST DATA  
ON  
TCDRO-16G-CD-1**

PL29823/2031

Carrier



Spurious








**SUMMARY TEST DATA  
ON  
TCDRO-16G-CD-1**

PL29823/2031

Harmonics



Phase Noise

