



**SUMMARY TEST DATA  
ON  
TCDRO-16G-CD-1**

PL29823/2031

Customer: \_\_\_\_\_ Tested By: Bryan K.  
SO No: \_\_\_\_\_ Temperature: +25°C  
Model No: TCDRO-16G-CD-1 Date: 12/19/2020  
Serial No: PL29823/2031 Drawing No: 27634780 Rev: A1

TEST. ITEM NO	PARAMETERS	SPECIFIED VALUE	TEST RESULTS	QA QC
1	Center Frequency:	16 GHz	16.0 GHz See Plot	PMI QA 2
2	Mechanical Tuning Frequency:	±10 MHz	± 12.5 MHz	
3	Output Power:	18 dBm Min.	+19.53 dBm See Plot	
4	Spurious:	-85 dBc Min.	-86.78 dBc	
5	Harmonics:	-25 dBc Min.	-32.33 dBc See Plot	
6	*Phase Noise:	10 kHz Offset = -80 dBc/Hz 100 kHz Offset = -95 dBc/Hz	10 kHz Offset = -82.11 dBc/Hz 100 kHz Offset = -101.51 dBc/Hz	
7	Frequency Drift Temperature Coefficient :	0.8 ppm/°C	See typical characteristics	
9	DC Supply:	+15±0.5 VDC @ 200 mA Max	97 mA @ +15 VDC	PMI QA 2


QA/QC Approval:  PMI QA 2 Date: 12/24/20



**SUMMARY TEST DATA  
ON  
TCDRO-16G-CD-1**

PL29823/2031

Carrier






**SUMMARY TEST DATA  
ON  
TCDRO-16G-CD-1**

PL29823/2031

Spurious





**SUMMARY TEST DATA  
ON  
TCDRO-16G-CD-1**

PL29823/2031

Harmonics

Agilent

Ch Freq ----- Trig Free

Harmonic Distortion

Ref 30 dBm #Atten 40 dB

#Samp

Log

10

dB/

										*
--	--	--	--	--	--	--	--	--	--	---

Center 15.999 924 GHz Span 0 Hz

Res BW 240 kHz #VBW 2 kHz Sweep 10 ms (601 pts)

	Frequency	Amplitude
1	16.00 GHz	19.48 dBm
2	32.00 GHz	-32.33 dBc
3	48.00 GHz	-49.57 dBc

File

Catalog>

Save>

Load>

Delete>

Copy>

Rename>

More  
1 of 2

File Operation Status, C:\STATE399.STA file loaded



**SUMMARY TEST DATA  
ON  
TCDRO-16G-CD-1**

PL29823/2031

Phase Noise

