



SUMMARY TEST DATA ON 6.4 to 8.4 GHz Filter

Customer: _____
SO No: _____
Model No: 6.4 to 8.4 GHz Filter
Serial No: PL29954/2033

Tested By: E. Kretz
Temperature: +23°C
Date: 8/7/2020

TEST ITEM NO.	PARAMETERS	SPECIFIED VALUE	Test Results	QA QC
1	Passband	6.4 To 8.4 GHz	6.4 To 8.4 GHz	
2	Passband Flatness	3 dB MAX	2.2 dB	
3	Rejection	-35 dBc MIN 0.1 - 6.0 GHz -35 dBc MIN 6.8 - 12.0 GHz	-70.23 @ 0.1 - 6.0 GHz -47.02 @ 8.8 - 12.0 GHz	
4	Passband VSWR:	2.0:1 MAX	1.62:1	
5	Insertion Loss (1 dB PASSBAND):	5.5 dB MAX	3.87 dB	



QA/QC Approval: _____ Date: _____

7311-F Grove Road Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
Email: sales@pmi-rf.com



SUMMARY TEST DATA ON 6.4 to 8.4 GHz Filter



PL29954/2033





SUMMARY TEST DATA ON 6.4 to 8.4 GHz Filter


PL29954/2033





SUMMARY TEST DATA ON 6.4 to 8.4 GHz Filter

PL29954/2033





SUMMARY TEST DATA ON 6.4 to 8.4 GHz Filter

PL29954/2033

