



**SUMMARY TEST DATA  
ON  
TCDRO-12G-CD-1**

PL31007/2051

Customer: \_\_\_\_\_ Tested By: Bryan K.  
SO No: \_\_\_\_\_ Temperature: +25°C  
Model No: TCDRO-12G-CD-1 Date: 12/18/2020  
Serial No: PL31007/2051 Drawing No: 27634760 Rev: A1

TEST. ITEM NO	PARAMETERS	SPECIFIED VALUE	TEST RESULTS	QA QC
1	Center Frequency:	12 GHz	12.0 GHz See Plot	PMI QA 2
2	Mechanical Tuning Frequency:	±10 MHz	± 12.5 MHz	
3	Output Power:	18 dBm Min.	+19.70 dBm See Plot	
4	Spurious:	-85 dBc Min.	-86.29 dBc	
5	Harmonics:	-25 dBc Min.	-41.45 dBc See Plot	
6	*Phase Noise:	10 kHz Offset = -90 dBc/Hz 100 kHz Offset = -95 dBc/Hz	10 kHz Offset = -79.73 dBc/Hz 100 kHz Offset = -99.56 dBc/Hz	
7	Frequency Drift Temperature Coefficient :	0.8 ppm/°C	See typical characteristics	
9	DC Supply:	+15±0.5 VDC @ 200 mA Max	79 mA @ +15 VDC	PMI QA 2


QA/QC Approval:  PMI QA 2 Date: 3/16/21



**SUMMARY TEST DATA  
ON  
TCDRO-12G-CD-1**

PL31007/2051

Carrier






**SUMMARY TEST DATA  
ON  
TCDRO-12G-CD-1**

PL31007/2051

Spurious





**SUMMARY TEST DATA  
ON  
TCDRO-12G-CD-1**

PL31007/2051

Harmonics

Agilent

Ch Freq ----- Trig Free

Harmonic Distortion

Ref 30 dBm #Atten 40 dB

#Samp

Log

10

dB/

Center 11.999 980 GHz Span 0 Hz

Res BW 240 kHz #VBW 2 kHz Sweep 10 ms (601 pts)

Frequency	Amplitude
1 12.00 GHz	19.63 dBm
2 24.00 GHz	-41.45 dBc
3 36.00 GHz	-33.05 dBc
4 48.00 GHz	-47.95 dBc

File

Catalog

Save

Load

Delete

Copy

Rename

More  
1 of 2

File Operation Status, C:\STATE306.STA file loaded



**SUMMARY TEST DATA  
ON  
TCDRO-12G-CD-1**

PL31007/2051

Phase Noise

