



**SUMMARY TEST DATA
ON
TCDRO-16G-CD-1**

PL31066/2052

Customer: _____ Tested By: Bryan K.
SO No: _____ Temperature: +25°C
Model No: TCDRO-16G-CD-1 Date: 3/12/2021
Serial No: PL31066/2052 Drawing No: 27634780 Rev: A1

TEST. ITEM NO	PARAMETERS	SPECIFIED VALUE	TEST RESULTS	QA QC
1	Center Frequency:	16 GHz	16.0 GHz See Plot	PMI QA 2
2	Mechanical Tuning Frequency:	±10 MHz	± 12.5 MHz	
3	Output Power:	18 dBm Min.	+19.60 dBm See Plot	
4	Spurious:	-85 dBc Min.	-85.10 dBc	
5	Harmonics:	-25 dBc Min.	-28.41 dBc See Plot	
6	*Phase Noise:	10 kHz Offset = -80 dBc/Hz 100 kHz Offset = -95 dBc/Hz	10 kHz Offset = -86.44 dBc/Hz 100 kHz Offset = -97.15 dBc/Hz	
7	Frequency Drift Temperature Coefficient :	0.8 ppm/°C	See typical characteristics	
9	DC Supply:	+15±0.5 VDC @ 200 mA Max	108 mA @ +15 VDC	PMI QA 2


QA/QC Approval: PMI QA 2 Date: 3/13/21




**SUMMARY TEST DATA
ON
TCDRO-16G-CD-1**

PL31066/2052

Carrier



Spurious






**SUMMARY TEST DATA
ON
TCDRO-16G-CD-1**

PL31066/2052

Harmonics



Phase Noise

