



SUMMARY TEST DATA ON AMPLIFIER

Customer :
Job No :
Model No : PM2-38-218-4R5-17-15-SFF Rev.B
Serial No : PL3177

Tested By : Hugo G.
Temperature : +25°C
Date : 04/21/09


TEST ITEM NO.	PARAMETERS	SPECIFIED VALUE	MEASURED VALUE	REMARKS QA/QC
1	Frequency Range:	2.0-18.0 GHz	Pass	
2	Gain:	+38dB Min.	Pass (See Plots)	
3	Gain Flatness:	± 1.5dB Max.	± 1.42dB	
4	VSWR:	Input : 2.0:1 Output: 2.0:1 (Max.)	Pass (See Plots)	
5	Noise Figure:	3.8dB Typ. 4.7dB Max.	Pass (See NF Plot)	
6	OP1dB:	+17dBm Goal +16dBm Min.	≥ +17dBm	
7	DC Supply:	350mA@ +15V Max.	396mA@ +15V	

Production Manager Approval: _____ Date: 04/21/09

QA/QC Approval: _____ Date: 04/21/09

5715 Industry Lane, Unit 11, Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
email: sales@planarelec.com

Swept S-Parameter Plot



Noise Figure Plot

