



## SUMMARY TEST DATA ON PE2-26-2G18G-5-21-12-SFF-DP

Customer: \_\_\_\_\_  
 SO No: \_\_\_\_\_  
 Model No: PE2-26-2G18G-5-21-12-SFF-DP  
 Serial No: PL32031/2116

PL32031/2116

Tested By: EA Valdez  
 Temperature: -55°C, +25°C, +85°C  
 Date: 04/28/2021  
 Drawing No: 27633170      Rev: B2

TEST ITEM	PARAMETERS	SPECIFIED VALUE	RESULTS			PASS/FAIL	QA QC
			-55°C	+25°C	+85°C		
1	Frequency Range	2.0 to 18.0 GHz	2.0 to 18.0 GHz			Pass	PMI QA3
2	Nominal Gain*	26 dB	25.8 dB	26.5 dB	25.5 dB	Pass	
3	Gain Window	±4.0 dB (22 dB Min / 30 dB Max) (Relative to Nominal Gain)	Pass	Pass	Pass	Pass	
4	Gain Flatness*	±1.5 dB (Relative to Nominal Gain)	±0.8 dB	±0.6 dB	±0.4 dB	Pass	
5	Noise Figure <sup>2</sup>	5.0 dB Max	3.4 dB	4.2 dB	4.3 dB	Pass	
6	OP1dB <sup>2</sup>	+21 dBm Min +25 dBm Goal	23.9 dBm	23.6 dBm	23.1 dBm	Pass	
7	OIP2 <sup>3</sup>	+37 dBm Min	[REDACTED]	45.2 dBm	[REDACTED]	Pass	
8	OIP3 <sup>3</sup>	+30 dBm Min		36.6 dBm		Pass	
9	Input VSWR*	2.0:1 Max		1.8:1		Pass	
10	Output VSWR*	2.0:1 Max (2.0 to 15.0 GHz)	2.0:1	Pass			
		2.8:1 Max (15.0 to 18.0 GHz)	2.11:1	Pass			
11	DC Supply	+11 to +12.5 VDC @ 400 mA Goal, 450 mA Max	410 Ma	420 mA	430 mA	Pass	PMI QA3

\* Gain and Gain Flatness shall be measured with 100 MHz steps (201 Points Minimum)

<sup>2</sup> Noise Figure and OP1dB shall be measured with 1 GHz steps

<sup>3</sup> OIP2 and OIP3 shall be measured with 2 GHz steps


QA/QC Approval: *A Zimmerman*      Date: 4-29-21



# SUMMARY TEST DATA ON PE2-26-2G18G-5-21-12-SFF-DP

PL32031/2116

## GAIN / VSWR @ +25C




7311-F Grove Road, Frederick, MD 21704 USA  
Phone: (301) 662-5019 Fax: (301) 662-1731  
Email: [sales@pmi-rf.com](mailto:sales@pmi-rf.com)



# SUMMARY TEST DATA ON PE2-26-2G18G-5-21-12-SFF-DP

PL32031/2116

## GAIN @ -55C



7311-F Grove Road, Frederick, MD 21704 USA  
Phone: (301) 662-5019 Fax: (301) 662-1731  
Email: [sales@pmi-rf.com](mailto:sales@pmi-rf.com)






# SUMMARY TEST DATA ON PE2-26-2G18G-5-21-12-SFF-DP

PL32031/2116

## GAIN @ +85C




7311-F Grove Road, Frederick, MD 21704 USA  
Phone: (301) 662-5019 Fax: (301) 662-1731  
Email: [sales@pmi-rf.com](mailto:sales@pmi-rf.com)



# SUMMARY TEST DATA ON PE2-26-2G18G-5-21-12-SFF-DP

PL32031/2116

## NOISE FIGURE @ +25C




7311-F Grove Road, Frederick, MD 21704 USA  
Phone: (301) 662-5019 Fax: (301) 662-1731  
Email: [sales@pmi-rf.com](mailto:sales@pmi-rf.com)



## SUMMARY TEST DATA ON PE2-26-2G18G-5-21-12-SFF-DP

PL32031/2116

### NOISE FIGURE @ -55C




7311-F Grove Road, Frederick, MD 21704 USA  
Phone: (301) 662-5019 Fax: (301) 662-1731  
Email: [sales@pmi-rf.com](mailto:sales@pmi-rf.com)



# SUMMARY TEST DATA ON PE2-26-2G18G-5-21-12-SFF-DP

PL32031/2116

## NOISE FIGURE @ +85C



7311-F Grove Road, Frederick, MD 21704 USA  
Phone: (301) 662-5019 Fax: (301) 662-1731  
Email: [sales@pmi-rf.com](mailto:sales@pmi-rf.com)






## SUMMARY TEST DATA ON PE2-26-2G18G-5-21-12-SFF-DP

PL32031/2116

P1db @ +25C

**P1dB Vs Frequency**



7311-F Grove Road, Frederick, MD 21704 USA  
Phone: (301) 662-5019 Fax: (301) 662-1731  
Email: [sales@pmi-rf.com](mailto:sales@pmi-rf.com)






## SUMMARY TEST DATA ON PE2-26-2G18G-5-21-12-SFF-DP

PL32031/2116

P1db @ -55C

### P1dB Vs Frequency



7311-F Grove Road, Frederick, MD 21704 USA  
Phone: (301) 662-5019 Fax: (301) 662-1731  
Email: [sales@pmi-rf.com](mailto:sales@pmi-rf.com)





# SUMMARY TEST DATA ON PE2-26-2G18G-5-21-12-SFF-DP

PL32031/2116

P1db @ +85C

## P1dB Vs Frequency





## SUMMARY TEST DATA ON PE2-26-2G18G-5-21-12-SFF-DP

PL32031/2116

<u>Freq</u>	<u>IP3</u>	<u>IP2</u>
2000	42.155	71.01
4000	40.905	62.51
6000	41.955	64.49
8000	40.04	62.83
10000	39.475	52.66
12000	39.265	50.49
14000	36.6	45.16
16000	38.05	49.34
18000	35.975	51.49

7311-F Grove Road, Frederick, MD 21704 USA  
Phone: (301) 662-5019 Fax: (301) 662-1731  
Email: [sales@pmi-rf.com](mailto:sales@pmi-rf.com)