



SUMMARY TEST DATA ON PE2-26-2G18G-5-21-12-SFF-DP

Customer: _____
 SO No: _____
 Model No: PE2-26-2G18G-5-21-12-SFF-DP
 Serial No: PL32035/2116

Tested By: EA Valdez
 Temperature: -55°C, +25°C, +85°C
 Date: 04/28/2021
 Drawing No: 27633170 Rev: B2

PL32035/2116

| TEST ITEM | PARAMETERS | SPECIFIED VALUE | RESULTS | | | PASS/FAIL | QA QC |
|-----------|---------------------------|---|-----------------|----------|-----------|-----------|------------|
| | | | -55°C | +25°C | +85°C | | |
| 1 | Frequency Range | 2.0 to 18.0 GHz | 2.0 to 18.0 GHz | | | Pass | PMI QA3 |
| 2 | Nominal Gain* | 26 dB | 26.3 dB | 25.6 dB | 25.3 dB | Pass | |
| 3 | Gain Window | ±4.0 dB (22 dB Min / 30 dB Max) (Relative to Nominal Gain) | Pass | Pass | Pass | Pass | |
| 4 | Gain Flatness* | ±1.5 dB (Relative to Nominal Gain) | ±0.5 dB | ±0.7 dB | ±0.6 dB | Pass | |
| 5 | Noise Figure ² | 5.0 dB Max | 3.4 dB | 4.1dB | 4.2 dB | Pass | |
| 6 | OP1dB ² | +21 dBm Min +25 dBm Goal | 23.8 dBm | 23.2 dBm | 23.1 dBm | Pass | |
| 7 | OIP2 ³ | +37 dBm Min | [Hatched] | 46.3 dBm | [Hatched] | Pass | |
| 8 | OIP3 ³ | +30 dBm Min | | 36.1 dBm | | Pass | |
| 9 | Input VSWR* | 2.0:1 Max | | 1.4:1 | | Pass | |
| 10 | Output VSWR* | 2.0:1 Max (2.0 to 15.0 GHz) | [Hatched] | 2.0:1 | [Hatched] | Pass | |
| | | 2.8:1 Max (15.0 to 18.0 GHz) | | 2.8:1 | | Pass | |
| 11 | DC Supply | +11 to +12.5 VDC @ 400 mA Goal, 450 mA Max | 380 mA | 400 mA | 420 mA | Pass | PMI QA3 |

* Gain and Gain Flatness shall be measured with 100 MHz steps (201 Points Minimum)

² Noise Figure and OP1dB shall be measured with 1 GHz steps

³ OIP2 and OIP3 shall be measured with 2 GHz steps


QA/QC Approval: *A Zimmerman* Date: 4-29-2021



SUMMARY TEST DATA ON PE2-26-2G18G-5-21-12-SFF-DP

PL32035/2116

GAIN / VSWR @ +25C




7311-F Grove Road, Frederick, MD 21704 USA
Phone: (301) 662-5019 Fax: (301) 662-1731
Email: sales@pmi-rf.com



SUMMARY TEST DATA ON PE2-26-2G18G-5-21-12-SFF-DP

PL32035/2116

GAIN @ -55C




7311-F Grove Road, Frederick, MD 21704 USA
Phone: (301) 662-5019 Fax: (301) 662-1731
Email: sales@pmi-rf.com



SUMMARY TEST DATA ON PE2-26-2G18G-5-21-12-SFF-DP

PL32035/2116

GAIN @ +85C




7311-F Grove Road, Frederick, MD 21704 USA
Phone: (301) 662-5019 Fax: (301) 662-1731
Email: sales@pmi-rf.com



SUMMARY TEST DATA ON PE2-26-2G18G-5-21-12-SFF-DP

PL32035/2116

NOISE FIGURE @ +25C




7311-F Grove Road, Frederick, MD 21704 USA
Phone: (301) 662-5019 Fax: (301) 662-1731
Email: sales@pmi-rf.com




SUMMARY TEST DATA ON PE2-26-2G18G-5-21-12-SFF-DP

PL32035/2116

NOISE FIGURE @ -55C




7311-F Grove Road, Frederick, MD 21704 USA
Phone: (301) 662-5019 Fax: (301) 662-1731
Email: sales@pmi-rf.com



SUMMARY TEST DATA ON PE2-26-2G18G-5-21-12-SFF-DP

PL32035/2116

NOISE FIGURE @ +85C



7311-F Grove Road, Frederick, MD 21704 USA
Phone: (301) 662-5019 Fax: (301) 662-1731
Email: sales@pmi-rf.com




SUMMARY TEST DATA ON PE2-26-2G18G-5-21-12-SFF-DP

PL32035/2116

P1db @ +25C

P1dB Vs Frequency



7311-F Grove Road, Frederick, MD 21704 USA
Phone: (301) 662-5019 Fax: (301) 662-1731
Email: sales@pmi-rf.com




SUMMARY TEST DATA ON PE2-26-2G18G-5-21-12-SFF-DP

PL32035/2116

P1db @ -55C

P1dB Vs Frequency



7311-F Grove Road, Frederick, MD 21704 USA
Phone: (301) 662-5019 Fax: (301) 662-1731
Email: sales@pmi-rf.com




SUMMARY TEST DATA ON PE2-26-2G18G-5-21-12-SFF-DP

PL32035/2116

P1db @ +85C

P1dB Vs Frequency



7311-F Grove Road, Frederick, MD 21704 USA
Phone: (301) 662-5019 Fax: (301) 662-1731
Email: sales@pmi-rf.com



SUMMARY TEST DATA ON PE2-26-2G18G-5-21-12-SFF-DP

PL32035/2116

| <u>Freq</u> | <u>IP3</u> | <u>IP2</u> |
|-------------|------------|------------|
| 2000 | 41.735 | 70.67 |
| 4000 | 40.99 | 61.51 |
| 6000 | 41.29 | 62.83 |
| 8000 | 40.29 | 62.16 |
| 10000 | 40.225 | 51.99 |
| 12000 | 38.93 | 46.33 |
| 14000 | 37.685 | 48.67 |
| 16000 | 36.63 | 46.5 |
| 18000 | 36.06 | 49.17 |

7311-F Grove Road, Frederick, MD 21704 USA
Phone: (301) 662-5019 Fax: (301) 662-1731
Email: sales@pmi-rf.com