



SUMMARY TEST DATA ON 5CL7G-42-CD-SFF

Customer: _____ Tested By: C. Ertter
 SO No: _____ Temperature: +25°C
 Model No: 5CL7G-42-CD-SFF Date: 7/2/2021
 Serial No: PL32861/2126 Drawing No: 27637860 Rev: B1


| TEST ITEM NO. | PARAMETERS | SPECIFIED VALUE | Test Results | QA QC |
|---------------|----------------------------|-----------------|---------------------|-------------|
| 1 | Center Frequency: | 7.0 GHz | 7.0 GHz | PMI QA 2 |
| 2 | 3dB Bandwidth | 42 MHz | 52 Mhz | |
| 3 | Passband VSWR: | 1.5:1 Max | 1.42 :1 See Plot | |
| 4 | Insertion Loss (PASSBAND): | 3 dBm | 2.05 dB SeePlot | |
| 5 | 7.1 GHz Rejection | 40 dB | 46 dB | |
| 6 | 7.2 GHz-16 GHz Rejection | 60 dB | 70.7 dB SeePlot | PMI QA 2 |

**Note: Data Taken
with -10dBm Input
Power**

QA/QC Approval: PMI
QA 2 Date: 7/7/2021



SUMMARY TEST DATA ON 5CL7G-42-CD-SFF





SUMMARY TEST DATA ON 5CL7G-42-CD-SFF

