



SUMMARY TEST DATA ON 5CL7G-42-CD-SFF

Customer: _____ Tested By: C. Ertter
 SO No: _____ Temperature: +25°C
 Model No: 5CL7G-42-CD-SFF Date: 7/2/2021
 Serial No: PL32862/2126 Drawing No: 27637860 Rev: B1


| TEST ITEM NO. | PARAMETERS | SPECIFIED VALUE | Test Results | QA QC |
|---------------|-------------------------------|-----------------|---------------------|------------|
| 1 | Center Frequency: | 7.0 GHz | 7.0 GHz | PMI QA2 |
| 2 | 3dB Bandwidth | 42 MHz | 47 Mhz | |
| 3 | Passband VSWR: | 1.5:1 Max | 1.39 :1 See Plot | |
| 4 | Insertion Loss (PASSBAND): | 3 dBm | 2.9 dB SeePlot | |
| 5 | 7.1 GHz Rejection | 40 dB | 45 dB | |
| 6 | 7.2 GHz-16 GHz Rejection | 60 dB | 63.1 dB SeePlot | PMI QA2 |

Note: Data Taken
with -10dBm Input
Power

QA/QC Approval:  PMI QA2 Date: 7/7/2021



SUMMARY TEST DATA ON 5CL7G-42-CD-SFF





SUMMARY TEST DATA ON 5CL7G-42-CD-SFF

