



**SUMMARY TEST DATA
ON
TCDRO-12G-CD-1**

Serial No. PL32930/2128

Customer : _____ Tested By: **Joel Alexis**
SO No: _____ Temperature: **+25°C**
Model No: **TCDRO-12G-CD-1** Date: **7/13/2021**
Serial No: **PL32930/2128** Drawing No: **27434760** Rev **A1**

TEST. ITEM NO	PARAMETERS	SPECIFIED VALUE	TEST RESULTS	QA QC	
1	Center Frequency:	12 GHz	12.0 GHz See Plot	PMI QA 2	
2	Mechanical Tuning Frequency:	±10 MHz	± 12.5 MHz		
3	Output Power:	18 dBm Min.	26.00dBm See Plot		
4	Spurious:	-85 dBc Min.	-87.75dBc		
5	Harmonics:	-25 dBc Max.	-35.20 dBc See Plot		
6	*Phase Noise:	10 kHz Offset = -90 dBc/Hz 100 kHz Offset = -95 dBc/Hz	10 kHz Offset = -85.06 dBc/Hz 100 kHz Offset = -118.58 dBc/Hz		
7	Frequency Drift Temperature Coefficient :	0.8 ppm/°C	See typical characteristics		
9	DC Supply:	+15±0.5 VDC @ 200 mA Max	1 mA @ +15 VDC		PMI QA 2


QA/QC Approval:  _____ Date: 7/19/2021



**SUMMARY TEST DATA
ON
TCDRO-12G-CD-1**

Serial No. PL32930/2128

Carrier






**SUMMARY TEST DATA
ON
TCDRO-12G-CD-1**

Serial No. PL32930/2128

Spurious





**SUMMARY TEST DATA
ON
TCDRO-12G-CD-1**

Serial No. PL32930/2128

Harmonics





**SUMMARY TEST DATA
ON
TCDRO-12G-CD-1**

Serial No. PL32930/2128

Phase Noise

