




**SUMMARY TEST DATA
ON
TCDRO-16G-CD-1**

Serial No. PL33080/2130

Customer: _____ Tested By: J. Alexis
SO No: _____ Temperature: +25°C
Model No: TCDRO-16G-CD-1 Date: 7/27/2021
Serial No: PL33080/2130 Drawing No: 27634780 Rev: A1

TEST. ITEM NO	PARAMETERS	SPECIFIED VALUE	TEST RESULTS	QA QC	
1	Center Frequency:	16 GHz	16.0 GHz See Plot	PMI QA 2	
2	Mechanical Tuning Frequency:	±10 MHz	± 16.5 MHz		
3	Output Power:	18 dBm Min.	19.66_dBm See Plot		
4	Spurious:	-85 dBc Min.	-86.3 dBc		
5	Harmonics:	-25 dBc Max.	-28.44_dBc See Plot		
6	*Phase Noise:	10 kHz Offset = -90 dBc/Hz 100 kHz Offset = -95 dBc/Hz	10 Hz Offset = -100.15 dBc/Hz 100 kHz Offset = -100.15 dBc/Hz		
7	Frequency Drift Temperature Coefficient :	0.8 ppm/°C	See typical characteristics		
9	DC Supply:	+15±0.5 VDC @ 200 mA Max	1 mA @ +15 VDC		PMI QA 2


QA/QC Approval:  _____ PMI QA 2 Date: 7/27/2021



**SUMMARY TEST DATA
ON
TCDRO-16G-CD-1**

Serial No. PL33080/2130

Carrier






**SUMMARY TEST DATA
ON
TCDRO-16G-CD-1**

Serial No. PL33080/2130

Spurious






**SUMMARY TEST DATA
ON
TCDRO-16G-CD-1**

Serial No. PL33080/2130

Harmonics





**SUMMARY TEST DATA
ON
TCDRO-16G-CD-1**

Serial No. PL33080/2130

Phase Noise

