SUMMARY TEST DATA
ON
PE2-28-15G18G-4R0-13-12-SFF

Customer:		**Tested By:**	**Joshua Monley**		
SO No:		**Temperature:**	**+25°C**		
Model No:	**PE2-28-15G18G-4R0-13-12-SFF**	**Date:**	**08/24/21**		
Serial No:	**PL33650/2134**	**Drawing No:**	**27607744**	**Rev:**	**A1**

TEST. ITEM NO	PARAMETERS	SPECIFIED VALUE	TEST RESULTS	QA QC
1	Frequency Range:	15 GHz – 18 GHz	**15 GHz – 18 GHz**	PMI QAS
2	Gain Nominal:	26dB Typ. @ 10 – 18 GHz	**25.4dB (See Plot)**	
3	Gain Flatness:	±0.5dB Max. @ +25°C ±0.75dB Max. @ -55°C to +85°C	**± 0.47dB @ +25°C** **± 0.64dB @ -55°C** **± 0.53dB @ +85°C**	
4	Noise Figure:	4.0dB Max.	**3.7dB**	
5	Pout @ 1dB Compression:	+13dBm Min.	**+ 13.3dBm**	
6	VSWR: (Input/Output)	1.5:1 Typ 1.8:1 Max.	**1.75:1/1.51:1 (See Plot)**	
7	Max Input Power:	+20dBm CW	**Pass**	
8	Isolation:	-65dB Typ @ 10 to 13 GHz -60dB Typ. @ 15 to 18GHz	**-65.2dB @ 12.2 GHz** **-61.3dB @ 16.0 GHz**	
9	DC Supply:	+12 to +15V @ 200mA Max.	**130 mA**	PMI QAS

QA/QC Approval: A Zimerman **Date:** 9-1-2021

7311-F Grove Road Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
Email: sales@pmi-rf.com

SUMMARY TEST DATA
ON
PE2-28-15G18G-4R0-13-12-SFF

Gain and Flatness @ +25°C



7311-F Grove Road Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
Email: sales@pmi-rf.com

SUMMARY TEST DATA
ON
PE2-28-15G18G-4R0-13-12-SFF

Gain and Flatness @ -55°C



7311-F Grove Road Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
Email: sales@pmi-rf.com

SUMMARY TEST DATA
ON
PE2-28-15G18G-4R0-13-12-SFF

Gain and Flatness @ +85°C



7311-F Grove Road Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
Email: sales@pmi-rf.com

SUMMARY TEST DATA
ON
PE2-28-15G18G-4R0-13-12-SFF



7311-F Grove Road Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
Email: sales@pmi-rf.com