



**SUMMARY TEST DATA
ON
PEC-100M18-30-4D5-20-15-SFF**

Customer: _____
SO No: _____
Model No: PEC-100M18-30-4D5-20-15-SFF
Serial No: PL35146/2151

Tested By: H. Gonzales
Temperature: 23 Degrees C
Date: 12/21/2021
Drawing No: 27642520 REV: A1

TEST. ITEM NO	PARAMETERS	SPECIFIED VALUE	Test Results	QA QC
1	Frequency Range:	0.1 GHz - 18 GHz	0.1 GHz - 18 GHz	PMI QA 2
2	Gain:	30 dB MIN.	+31.3 dB Min. See Plot	
3	Gain Flatness:	±2 dB MAX.	±1.13 dB See Plot	
4	*Noise Figure:	4.5 dB MAX.	4.3 dB See Plot	
5	Pout @ 1 dB Compression:	+20 dBm MIN.	+20 dBm See Plot	
6	VSWR: (Input/Output)	2.4:1 Max. In 2.3:1 Max. Out	2:1 In 2:1 Out See Plot	
7	DC Supply:	+15 VDC @ 450 mA Typ.	VDC @ 405 mA	

*Not Guaranteed below 700MHz

QA/QC Approval: _____


PMI
QA 2

Date: 12/21/2021



**SUMMARY TEST DATA
ON
PEC-100M18-30-4D5-20-15-SFF**

PL35146/2151





**SUMMARY TEST DATA
ON
PEC-100M18-30-4D5-20-15-SFF**

PL35146/2151

