



**SUMMARY TEST DATA  
ON AMPLIFIER**

Customer :  
 Job No :  
 Model No : PEC-15-2M18G-7R0-13-15-SFF  
 Serial No : PL3674

Tested By : Kevin Mason  
 Temperature : +25°C  
 Date : 09/28/07


TEST ITEM NO.	PARAMETERS	SPECIFIED VALUE	MEASURED VALUE	REMARKS QA/QC
1	Frequency Range:	2 MHz - 18 GHz	Pass (See Plot)	
2	Gain Window:	13.5 to 17.5dB Typ.	Pass (See Plot)	
3	Flatness:	±2.0dB Typ.	±1.5dB	
4	Noise Figure: 10-100 MHz 0.1GHz to 15GHz	10dB Typ. 7dB Typ.	Pass (See Plot)	
5	Pout @ 1dB Compression:	+13dBm Typ.	≥ +13dBm	
6	VSWR In/Out:	2.5:1 Typ.	Pass (See Plot)	
7	DC Supply:	300mA @ +15V Typ.	252mA	

Production Manager Approval:  Date: 09/28/07

QA/QC Approval:  Date: 09/28/07


5715 Industry Lane, Unit 11, Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731  
 email: [sales@planarelec.com](mailto:sales@planarelec.com)

### VNA Plot (10 MHz to 18 GHz)





### Noise Figure Plot (300MHz to 18GHz)



5715 Industry Lane, Unit 11, Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731  
 email: [sales@planarelec.com](mailto:sales@planarelec.com)