



**SUMMARY TEST DATA  
ON  
PE2-35-8G12G-2R5-15-12-SFF**

Customer: \_\_\_\_\_  
SO No: \_\_\_\_\_  
Model No: PE2-35-8G12G-2R5-15-12-SFF  
Serial No: PL36754/2222

Tested By: K. Wagaman  
Temperature: +25C  
Date: 6/30/2022  
Drawing No: 27610244 Rev: A1

TEST ITEM NO.	PARAMETERS	SPECIFIED VALUE	Test Results	QA QC
1	Frequency Range:	8.0 GHz to 12.0 GHz	8.0 GHz to 12.0 GHz	PMI QA 2
2	Gain:	30 dB Min	32.1 dB See Graph	
3	Gain Flatness:	+/- 1.0 dB Max	±0.43 dB See Graph	
4	Noise Figure:	2.5 dB Max	1.64 dB Max	
5	OP1dB:	+15 dBm Min.	+18.91 dBm See Graph	
6	VSWR: (Input/Output)	2.0:1 Max.	1.76 :1 See Graph	
9	DC Voltage Supply: DC Current Draw:	+15VDC @ 250 mA Max	+15 VDC @ 193 mA	

QA/QC Approval: \_\_\_\_\_




PMI  
QA 2

Date \_\_\_\_\_

6/30/2022



# SUMMARY TEST DATA ON PE2-35-8G12G-2R5-15-12-SFF





# SUMMARY TEST DATA ON PE2-35-8G12G-2R5-15-12-SFF

