

**SUMMARY TEST DATA
ON
PEC3-40-30M26R5G-6R0-12-12-SFF Rev. B**

CUSTOMER: _____
SO: _____
MODEL NO: PEC3-40-30M26R5G-6R0-12-12-SFF Rev. B
SERIAL NO: PL38161/2242

TESTED BY: Alfredo Lopez
TEMPERATURE: +25°C
DATE: 10/13/2022
DRAWING NO: 27607250 **REV:** A1




TEST. ITEM NO	PARAMETERS	SPECIFIED VALUE	Test Results	QA QC
1	Frequency Range:	0.03 to 26.5 GHz	0.03 to 26.5 GHz	PMI QA2
2	Gain:	+35 dB Min	+37.58 dB See Graph	
3	Gain Flatness:	±3.5 dB Max	2.83 dB See Graph	
4	VSWR:	2.5:1 Max.	2.2 :1 See Graph	
5	Noise Figure:	6.0 dB Typ. 7.5 dB Max.	6.33 dB See Graph	
6	Pout @ 1dB Compression	+12 dBm Typ. +11 dBm Min.	+12.38 dBm See Graph	
7	DC Supply:	+12 to + 15 VDC @400mA Max.	+12 to + 15 VDC @221mA	

QA/QC Approval: 

PMI
QA2

Date: 10/17/2022

**SUMMARY TEST DATA
ON
PEC3-40-30M26R5G-6R0-12-12-SFF Rev. B**



**SUMMARY TEST DATA
ON
PEC3-40-30M26R5G-6R0-12-12-SFF Rev. B**

