



**SUMMARY TEST DATA
ON AMPLIFIER**

Customer :
 Job No :
 Model No : PM2-25-7R513R0-25-12-SFF
 Serial No : PL4086

Tested By : Hugo G.
 Temperature : +25°C
 Date : 04/24/08


TEST ITEM NO.	PARAMETERS	SPECIFIED VALUE	MEASURED VALUE	REMARKS QA/QC
1	Frequency Range:	7.5 – 13.0 GHz	Pass (See Plot)	
2	Gain Min.:	+25dB	Pass (See Plot)	
3	Flatness:	±1.0 dB Max.	±0.24 dB	
4	Noise Figure:	4.0 dB Max.	Pass (See Plot)	
5	Pout @ 1dB Compression:	+25 dBm Min.	≥ +25 dBm	
6	VSWR:	Input : 2.0:1 Output: 2.0:1 (Max.)	Pass (See Plot)	
7	DC Supply:	380mA @ +12V Max.	323A @ +12V	

Production Manager Approval:  Date: 04/24/08

QA/QC Approval:  Date: 04/24/08

5715 Industry Lane, Unit 11, Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
 email: sales@planarelec.com

VNA Plot



Noise Figure Plot

