



SUMMARY TEST DATA ON PMI-AFD4-020080-23P-SMA-2

Customer: _____
 SO No: _____
 Model No: PMI-AFD4-020080-23P-SMA-2
 Serial No: PL41423/2330


Tested By: E. Kretz
 Temperature: +25° C
 Date: 7/26/2023
 Drawing No: 27643880 REV: A1

TEST ITEM NO.	PARAMETERS	SPECIFIED VALUE	Test Results	QA QC	
1	Frequency Range:	2.0 - 8.0 GHz	2.0 - 8.0 GHz	PMI QA2	
2	Gain:	32 dB Min.	+33.9 dB Max. +32.5 dB Min. See Plot		
3	Gain Flatness:	±2.0 dB Max.	±0.68 dB See Plot		
4	Noise Figure:	4.5 dB Max.	4.2 dB See Plot		
5	Input P1dB:	-6 dBm TYP. -6.5 dBm MIN.	-5.95 dBm		
6	VSWR: (IN/OUT)	2:1 Max.	1.5:1 In 1.8:1 Out See Plot		
7	DC Power: (NO RF INPUT)	600 mA Nominal 650 mA MAX. @ +15 V	600 mA		PMI QA2

QA/QC Approval: PMI
QA2

Date: 7/27/2023

**SUMMARY TEST DATA
ON
PMI-AFD4-020080-23P-SMA-2**



**SUMMARY TEST DATA
ON
PMI-AFD4-020080-23P-SMA-2**

