

**SUMMARY TEST DATA
ON
PCH-180-2R15G3G-SFF**




Customer: _____
 SO No: _____
 Model No: PCH-180-2R15G3G-SFF
 Serial No: PL42041/2336

Tested By: K Craven
 Temperature: +25°C
 Date: 8/5/2023
 Drawing No: 27641200 Rev: A2

TEST ITEM NO.	PARAMETERS	SPECIFIED VALUE	TEST RESULTS	QA QC	
1	Frequency Range:	2.15 to 3.0 GHz	2.15 to 3.0 GHz	PMI QA2	
2	Nominal Split:	3.01 dB	3.01 dB		
3	Insertion Loss:	0.6 dB Max.	0.53 dB (See Plot)		
4	Isolation:	20 dB Min.	27.9 dB (See Plot)		
5	Amplitude Balance:	±0.3 dB Max.	±0.27 dB (See Plot)		
6	Phase Balance:	±3° Max.	±0.81° (See Plot)		
7	VSWR:	1.25:1 Max.	1.14:1 (See Plot)		
8	Impedance:	50 Ω	50 Ω		PMI QA2

QA/QC Approval:  PMI QA2

Date: 9/7/2023



SUMMARY TEST DATA ON PCH-180-2R15G3G-SFF

PL42041/2336

