

**SUMMARY TEST DATA
 ON
 PCH-180-1G1R5G-SFF**

CUSTOMER: _____
 SO No: _____
 MODEL NO: PCH-180-1G1R5G-SFF
 SERIAL NO: PL42934/2347

TESTED BY: Noor Azhar
 TEMPERATURE: +25°C
 DATE: 11/10/2023
 DRAWING NO: 27647480




REV: A1

TEST ITEM	PARAMETERS	SPECIFIED VALUE	TEST RESULTS	QA QC
1	Frequency Range	1.0 GHz to 1.5 GHz	1.0 GHz to 1.5 GHz	PMI QA2
2	Insertion Loss	0.6 dB Max.	0.497 dB	
3	VSWR: In/Out	1.25:1 Max.	1.17 :1	
4	Isolation	20 dB Min.	31.3 dB	
5	Phase Balance	±3° Max	±1.04°	
6	Amplitude Balance	±0.3 dB Max.	±0.21 dB	
7	Power Handling	20 W Max. 1kW Peak	20 W TESTED	PMI QA2

QA Approval: *Camirung Mulyo* ^{PMI} _{QA2}




Date: 11/28/23

**TYPICAL CHARACTERISTICS
 ON
 PCH-180-1G1R5G-SFF**



7309-A Grove Road Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
 Email: sales@quanticpmi.com




TYPICAL CHARACTERISTICS
 ON
 PCH-180-1G1R5G-SFF



7309-A Grove Road Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
 Email: sales@quanticpmi.com






TYPICAL CHARACTERISTICS
ON
PCH-180-1G1R5G-SFF



7309-A Grove Road Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
Email: sales@pmi-rf.com

TYPICAL CHARACTERISTICS
ON
PCH-180-1G1R5G-SFF



7309-A Grove Road Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
Email: sales@pmi-rf.com

TYPICAL CHARACTERISTICS
 ON
 PCH-180-1G1R5G-SFF

