

**SUMMARY TEST DATA
ON
PLNA-9-1G2G-20-SMF**

RECERTIFIED

[Signature]
8/23/2024

Customer: _____
SO No: _____
Model No: PLNA-9-1G2G-20-SMF
Serial No: PL43344/2350

Tested By: K. Wagaman
Temperature: +25C
Date: 12/11/2023
Drawing No: 27646240 Rev: A1

TEST ITEM NO.	PARAMETERS	SPECIFIED VALUE	Test Results	QA QC
1	Frequency Range:	1.0 to 2.0 GHz	1.0 to 2.0 GHz	PMI QA2
2	Gain:	9 dB Min	10.33 dB See Graph	
3	Gain Flatness	± 1.0 dB Typ	0.15 dB See Graph	
4	Noise Figure	4.5 dB Max	3.8 dB See Graph	
5	IP1dB	+12 dBm MIN @ -1V Limiter Bias	11 dBm @ 0V	
			14 dBm @ -0.5V	
			14 dBm @ -1V	
			See Graph	
6	Input Power	2 Watts CW 60dBm Peak 0.1%DC, 1µs PW Max.	Pass 2 Watts CW See Graph	
7	VSWR: (Input/Output)	2.0:1 Max.	1.47 :1 See Graph	
8	DC Power Supply	+6V @ 200 mA Max	+6V @ 180 mA	




**No Internal Voltage Regulation or Reverse Protection

Limiter Bias	0 to -10VDC	Pass 0 to -10VDC	PMI QA2
Current	1 mA Max	No Current	




QA/QC Approval: *[Signature]* PMI
QA2

Date 12/11/2023

**SUMMARY TEST DATA
ON
PLNA-9-1G2G-20-SMF**



**SUMMARY TEST DATA
ON
PLNA-9-1G2G-20-SMF**



**SUMMARY TEST DATA
 ON
 PLNA-9-1G2G-20-SMF**

