



SUMMARY TEST DATA  
ON  
CL9D43-300-CD-SFF

Customer: \_\_\_\_\_  
SO No: \_\_\_\_\_  
Model No: CL9D43-300-CD-SFF  
Serial No: PL45338/2413




Tested By: H Gonzales  
Temperature: 25°C  
Date: 3/28/2024  
Drawing No: 27647760 Rev: B1

| TEST ITEM NO. | PARAMETERS                        | SPECIFIED VALUE                 | TEST RESULTS         | QA QC      |            |
|---------------|-----------------------------------|---------------------------------|----------------------|------------|------------|
| 1             | Passband Frequency Range          | 9.28 GHz to 9.58 GHz            | 9.28 GHz to 9.58 GHz | PMI<br>QA2 |            |
| 2             | Center Frequency                  | 9.43 GHz                        | 9.43 GHz             |            |            |
| 3             | 3dB Bandwidth                     | 300 MHz                         | 320 MHz              |            |            |
| 4             | VSWR                              | 1.5:1 Max.                      | 1.4:1                |            |            |
| 5             | Insertion Loss (Center Frequency) | -3 dB Max.                      | -2.05 dB             |            |            |
| 6             | Rejection                         | -40 dB Min. @ 0 to 9.13 GHz     | -68.4 dB             |            |            |
| 7             | Rejection                         | -40 dB Min. @ 9.73 to 28.29 GHz | -51 dB               |            | PMI<br>QA2 |

QA/QC Approval:  PMI QA2

Date: 3/28/2024

7309-A Grove Road Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731  
Email: sales@quanticpmi.com



7309-A Grove Road Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731  
 Email: sales@quanticpmi.com

