




SUMMARY TEST DATA


ON AMPLIFIER

Customer :
Job No :
Model No : PE2-28-7R5G9R5G-2R5-10-12-SFF
Serial No : PL4971

Tested By : Hugo G.
Temperature : +25°C
Date : 10/17/08


TEST ITEM NO.	PARAMETERS	SPECIFIED VALUE	MEASURED VALUE	REMARKS QA/QC
1	Frequency Range:	7.5-9.5 GHz	Pass	
2	Gain:	+28dB typ.	Pass (See Plot)	
3	Gain Flatness:	±1.0dB Max.	±0.10dB	
4	Noise Figure:	3.0dB Max.	Pass (See NF Plot)	
5	OP1dB:	10dBm Min.	≥10dBm	
6	VSWR:	Input : 2.0:1 Output: 2.0:1 (Max.)	Pass (See Plot)	
7	DC Supply:	200mA@ +12 to +15VDC Max.	169mA	

Production Manager Approval:  Date: 10/17/08

QA/QC Approval:  Date: 10/17/08

5715 Industry Lane, Unit 11, Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
 email: sales@planarelec.com

Swept S-Parameter Plot



Noise Figure Plot

