



SUMMARY TEST DATA
ON
P1T-218-60-55-R-SFF

Customer: _____
SO No: _____
Model No: P1T-218-60-55-R-SFF
Serial No: PL50974/2503




Tested By: E. Kretz
Temperature: 25°C
Date: 1/28/2025
Drawing No: 27649220 Rev: A1

TEST ITEM NO.	PARAMETERS	SPECIFIED VALUE	TEST RESULTS	QA QC
1	Frequency Range	2 GHz to 18 GHz	2 GHz to 18 GHz	PMI QA2
2	Insertion Loss	1.8 dB Max.	1.8 dB	
3	Isolation	60 dB Min.	61.3 dB	
4	VSWR: In/Out	1.9:1 Max.	1.39:1 In 1.41:1 Out	
5	Power Supply	5 V @ 65 mA Max. -5 V @ 65 mA Max.	5 V @ 60mA 5 V @ 60mA	

QA/QC Approval: PMI
QA2

Date: 1/29/2025

7309-A Grove Road Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
Email: sales@quanticpmi.com



7309-A Grove Road Frederick, MD 21704 USA Phone: (301)662-5019 Fax: (301)662-1731
Email: sales@quanticpmi.com

