

**SUMMARY TEST DATA
ON
P2T-0R3G18G-80-T-55-SFF**

Customer: _____
SO No: _____
Model No: P2T-0R3G18G-80-T-55-SFF
Serial No: PL51473/2508

Tested By: S. O'Neill
Temperature: 25°C
Date: 2/18/2025
Drawing No: 27629411 Rev: A1

TEST ITEM NO.	PARAMETERS	SPECIFIED VALUE	TEST RESULTS	QA QC
1	Frequency Range	0.3 GHz to 18 GHz	0.3 GHz to 18 GHz	PMi QA4
2	Insertion Loss	3.5 dB Max.	2.7 dB	
3	Isolation	80 dB Min.	90.6 dB	
4	VSWR: In/Out	2:1 Max.	1.68:1 In 1.7:1 Out	
5	VSWR: Output/Off	2:1 Max.	1.49:1	
6	Rise Time Fall Time	50 ns Max. 50 ns Max.	Pass See Typical Characteristics	
7	Input Power	20 dBm CW Max.	Pass See Typical Characteristics	
8	DC Supply	+5VDC @ 65 mA Max. -5VDC @ 50 mA Max.	+5 VDC @ 43mA -5 VDC @ 41mA	PMi QA4

QA/QC Approval: *Cameron Kelly*

Date: 2/18/25



